

V. 論文業績一覧

V-1. 一元化登録（2009年4月以降）データ利用申請・WG研究 論文業績

-
1. 加藤剛二.
小児へのさい帯血移植.
*日本さい帯血バンクネットワーク設立10周年記念 そして明日から.*2009:54-7. 【U1】
 2. Mizuta S, Matsuo K, Yagasaki F, Yujiri T, Hatta Y, Kimura Y, Ueda Y, Kanamori H, Usui N, Akiyama H, Miyazaki Y, Ohtake S, Atsuta Y, Sakamaki H, Kawa K, Morishima Y, Ohnishi K, Naoe T, Ohno R. Pre-transplant imatinib-based therapy improves the outcome of allogeneic hematopoietic stem cell transplantation for BCR-ABL-positive acute lymphoblastic leukemia.
Leukemia. 2011;25(1):41-7. 【U2】
 3. Takanashi M, Tanaka H, Kohsaki M, Nakajima K, Tadokoro K, Nakabayashi M.
A suggested total size for the cord blood banks of Japan.
Bone Marrow Transplant. 2011;46(7):1014-5. 【U3】
 4. Yagasaki H, Kato M, Ishige M, Shichino H, Chin M, Mugishima H.
Successful cord blood transplantation in a 42-day-old boy with infantile Krabbe disease.
Int J Hematol. 2011;93(4):566-8 【U4】
 5. Ishiyama K, Takami A, Kanda Y, Nakao S, Hidaka M, Maeda T, Naoe T, Taniguchi S, Kawa K, Nagamura T, Atsuta Y, Sakamaki H.
Allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia with t(6;9)(p23;q34) dramatically improves the patient prognosis: a matched-pair analysis.
Leukemia. 2012;26(3):461-4. 【U5】
 6. Ishiyama K, Takami A, Kanda Y, Nakao S, Hidaka M, Maeda T, Naoe T, Taniguchi S, Kawa K, Nagamura T, Tabuchi K, Atsuta Y, Sakamaki H.
Prognostic factors for acute myeloid leukemia patients with t(6;9)(p23;q34) who underwent an allogeneic hematopoietic stem cell transplant.
Leukemia. 2012;26(6):1416-9. 【U6】
 7. Fuji S, Nakamura F, Hatanaka K, Taniguchi S, Sato M, Mori S, Sakamaki H, Yabe H, Miyamoto T, Kanamori H, Ueda Y, Kawa K, Kato K, Suzuki R, Atsuta Y, Tamaki T, Kanda Y.
Peripheral blood as a preferable source of stem cells for salvage transplantation in patients with graft failure after cord blood transplantation: a retrospective analysis of the registry data of the Japanese Society for Hematopoietic Cell Transplantation.
Biol Blood Marrow Transplant. 2012;18(9):1407-14. 【U7】
 8. Kanda J, Hishizawa M, Utsunomiya A, Taniguchi S, Eto T, Moriuchi Y, Tanosaki R, Kawano F, Miyazaki Y, Masuda M, Nagafuji K, Hara M, Takanashi M, Kai S, Atsuta Y, Suzuki R, Kawase T, Matsuo K, Nagamura-Inoue T, Kato S, Sakamaki H, Morishima Y, Okamura J, Ichinohe T, Uchiyama T.
Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study.
Blood. 2012;119(9):2141-8. 【U8】

9. Kanda J, Saji H, Fukuda T, Kobayashi T, Miyamura K, Eto T, Kurokawa M, Kanamori H, Mori T, Hidaka M, Iwato K, Yoshida T, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Suzuki R, Atsuta Y, Kanda Y. Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study. *Blood*. 2012;119(10):2409-16. 【U9】
10. Kato M, Horikoshi Y, Okamoto Y, Takahashi Y, Hasegawa D, Koh K, Takita J, Inoue M, Kigasawa H, Ogawa A, Sasahara Y, Kawa K, Yabe H, Sakamaki H, Suzuki R, Kato K. Second allogeneic hematopoietic SCT for relapsed ALL in children. *Bone Marrow Transplant.* 2012;47(10):1307-11. 【WGP 3-1】
11. Kobayashi R, Fujita N, Mitsui T, Iwasaki F, Suzumiya J, Kuroda H, Nishimura R, Sasahara Y, Takeshita Y, Kato K, Okumura H, Sakamaki H, Yabe H, Kawa K, Kato K, Suzuki R. Stem cell transplantation for paediatric patients with non-anaplastic peripheral T-cell lymphoma in Japan. *Br J Haematol.* 2012;159(1):88-93. 【WGP 9-1】
12. Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Taniguchi S, Eto T, Takatsuka Y, Miyazaki Y, Moriuchi Y, Hidaka M, Akashi K, Uike N, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishiyama T, Utsunomiya A. Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study. *Blood*. 2012;120(8):1734-41. 【WGP 13-1】
13. Hirokawa M, Fukuda T, Ohashi K, Hidaka M, Ichinohe T, Iwato K, Kanamori H, Murata M, Sakura T, Imamura M, Adachi S, Suzuki R, Morishima Y, Sakamaki H; PRCA Collaborative Study Group. Efficacy and long-term outcome of treatment for pure red cell aplasia after allogeneic stem cell transplantation from major ABO-incompatible donors. *Biol Blood Marrow Transplant.* 2013;19(7):1026-32. 【U10】
14. Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T. Changes in incidence and causes of non-relapse mortality after allogeneic hematopoietic cell transplantation in patients with acute leukemia/myelodysplastic syndrome: an analysis of the Japan Transplant Outcome Registry. *Bone Marrow Transplant.* 2013;48(4):529-36. 【U11】
15. Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T. Recent decrease in non-relapse mortality due to GVHD and infection after allogeneic hematopoietic cell transplantation in non-remission acute leukemia. *Bone Marrow Transplant.* 2013;48(9):1198-204. 【U12】

16. Shinzato A, Tabuchi K, Atsuta Y, Inoue M, Inagaki J, Yabe H, Koh K, Kato K, Ohta H, Kigasawa H, Kitoh T, Ogawa A, Takahashi Y, Sasahara Y, Kato S, Adachi S.
PBSCT is associated with poorer survival and increased chronic GvHD than BMT in Japanese paediatric patients with acute leukaemia and an HLA-matched sibling donor.
Pediatr Blood Cancer. 2013;60(9):1513-9. 【U13】
17. Imahashi N, Suzuki R, Fukuda T, Kakihana K, Kanamori H, Eto T, Mori T, Kobayashi N, Iwato K, Sakura T, Ikegami K, Kurokawa M, Kondo T, Iida H, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Atsuta Y, Miyamura K.
Allogeneic hematopoietic stem cell transplantation for intermediate cytogenetic risk AML in first CR.
Bone Marrow Transplant. 2013;48(1):56-62. 【U14】
18. Sawada A, Ohga S, Ishii E, Inoue M, Okada K, Inagaki J, Goto H, Suzuki N, Koike K, Atsuta Y, Suzuki R, Yabe H, Kawa K, Kato K, Yasutomo K.
Feasibility of reduced-intensity conditioning followed by unrelated cord blood transplantation for primary hemophagocytic lymphohistiocytosis: a nationwide retrospective analysis in Japan.
Int J Hematol. 2013;98(2):223-30. 【U15】
19. 永澤雅秀.
移植に必要なAB型の血漿・血小板製剤の需給動向について.
血液事業. 2013;35(4):703-5. 【U16】
20. Chihara D, Ito H, Matsuda T, Katanoda K, Shibata A, Taniguchi S, Utsunomiya A, Sobue T, Matsuo K.
Association between decreasing trend in the mortality of adult T-cell leukemia/lymphoma and allogeneic hematopoietic stem cell transplants in Japan: analysis of Japanese vital statistics and Japan Society for Hematopoietic Cell Transplantation (JSHCT).
Blood Cancer J. 2013;3:e159. 【U17】
21. Kato M, Takahashi Y, Tomizawa D, Okamoto Y, Inagaki J, Koh K, Ogawa A, Okada K, Cho Y, Takita J, Goto H, Sakamaki H, Yabe H, Kawa K, Suzuki R, Kudo K, Kato K.
Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia.
Biol Blood Marrow Transplant. 2013;19(12):1690-4. 【WGP 3-2】
22. Kanamori H, Mizuta S, Kako S, Kato H, Nishiwaki S, Imai K, Shigematsu A, Nakamae H, Tanaka M, Ikegami K, Yujiri T, Fukuda T, Minagawa K, Eto T, Nagamura-Inoue T, Morishima Y, Suzuki R, Sakamaki H, Tanaka J.
Reduced-intensity allogeneic stem cell transplantation for patients aged 50 years or older with B-cell ALL in remission: a retrospective study by the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Bone Marrow Transplant. 2013;48(12):1513-8. 【WGP 4-1】

23. Nishiwaki S, Miyamura K, Ohashi K, Kurokawa M, Taniguchi S, Fukuda T, Ikegame K, Takahashi S, Mori T, Imai K, Iida H, Hidaka M, Sakamaki H, Morishima Y, Kato K, Suzuki R, Tanaka J; Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation. Impact of a donor source on adult Philadelphia chromosome-negative acute lymphoblastic leukemia: a retrospective analysis from the Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation. *Ann Oncol.* 2013;24(6):1594-602. 【WGP 4-2】
24. Tanaka J, Kanamori H, Nishiwaki S, Ohashi K, Taniguchi S, Eto T, Nakamae H, Minagawa K, Miyamura K, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishimoto N, Oba K, Masauzi N. Reduced-intensity vs myeloablative conditioning allogeneic hematopoietic SCT for patients aged over 45 years with ALL in remission: a study from the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT). *Bone Marrow Transplant.* 2013;48(11):1389-94. 【WGP 4-3】
25. Kikuchi A, Yabe H, Kato K, Koh K, Inagaki J, Sasahara Y, Suzuki R, Yoshida N, Kudo K, Kobayashi R, Tabuchi K, Kawa K, Kojima S. Long-term outcome of childhood aplastic anemia patients who underwent allogeneic hematopoietic SCT from an HLA-matched sibling donor in Japan. *Bone Marrow Transplant.* 2013;48(5):657-60. 【WGP 11-1】
26. Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Takatsuka Y, Eto T, Miyazaki Y, Hidaka M, Uike N, Miyamoto T, Tsudo M, Sakamaki H, Morishima Y, Suzuki R, Utsunomiya A. Impact of Graft-versus-Host Disease on Allogeneic Hematopoietic Cell Transplantation for Adult T Cell Leukemia-Lymphoma Focusing on Preconditioning Regimens: Nationwide Retrospective Study. *Biol Blood Marrow Transplant.* 2013;19(12):1731-9. 【WGP 13-2】
27. Kanda Y, Kanda J, Atsuta Y, Maeda Y, Ichinohe T, Ohashi K, Fukuda T, Miyamura K, Iida H, Mori T, Iwato K, Eto T, Kawa K, Morita S, Morishima Y. Impact of a single human leucocyte antigen (HLA) allele mismatch on the outcome of unrelated bone marrow transplantation over two time periods. A retrospective analysis of 3003 patients from the HLA Working Group of the Japan Society for Blood and Marrow Transplantation. *Br J Haematol.* 2013;161(4):566-77. 【WGP 17-1】
28. Tanaka J, Morishima Y, Takahashi Y, Yabe T, Oba K, Takahashi S, Taniguchi S, Ogawa H, Onishi Y, Miyamura K, Kanamori H, Aotsuka N, Kato K, Kato S, Atsuta Y, Kanda Y. Effects of KIR ligand incompatibility on clinical outcomes of umbilical cord blood transplantation without ATG for acute leukemia in complete remission. *Blood Cancer J.* 2013;3:e164. 【WGP 17-2】
29. Atsuta Y, Kanda J, Takanashi M, Morishima Y, Taniguchi S, Takahashi S, Ogawa H, Ohashi K, Ohno Y, Onishi Y, Aotsuka N, Nagamura-Inoue T, Kato K, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation. Different effects of HLA disparity on transplant outcomes after single-unit cord blood transplantation between pediatric and adult patients with leukemia. *Haematologica.* 2013;98(5):814-22. 【WGP 17-3】

30. Kanda J, Atsuta Y, Wake A, Ichinohe T, Takanashi M, Morishima Y, Taniguchi S, Takahashi S, Ogawa H, Ohashi K, Ohno Y, Aotsuka N, Onishi Y, Kato K, Nagamura-Inoue T, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Impact of the direction of HLA mismatch on transplantation outcomes in single unrelated cord blood transplantation.
Biol Blood Marrow Transplant. 2013;19(2):247-54. 【WGP 17-4】
31. Kanda J, Ichinohe T, Kato S, Uchida N, Terakura S, Fukuda T, Hidaka M, Ueda Y, Kondo T, Taniguchi S, Takahashi S, Nagamura-Inoue T, Tanaka J, Atsuta Y, Miyamura K, Kanda Y; Donor/Source Working Group and HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Unrelated cord blood transplantation vs related transplantation with HLA 1-antigen mismatch in the graft-versus-host direction.
Leukemia. 2013;27(2):286-94. 【WGP 18-1】
32. Murata M, Nakasone H, Kanda J, Nakane T, Furukawa T, Fukuda T, Mori T, Taniguchi S, Eto T, Ohashi K, Hino M, Inoue M, Ogawa H, Atsuta Y, Nagamura-Inoue T, Yabe H, Morishima Y, Sakamaki H, Suzuki R.
Clinical factors predicting the response of acute graft-versus-host disease to corticosteroid therapy: an analysis from the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Biol Blood Marrow Transplant. 2013;19(8):1183-9. 【WGP 19-1】
33. Nakasone H, Kanda J, Yano S, Atsuta Y, Ago H, Fukuda T, Kakihana K, Adachi T, Yujiri T, Taniguchi S, Taguchi J, Morishima Y, Nagamura T, Sakamaki H, Mori T, Murata M; GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.
A case-control study of bronchiolitis obliterans syndrome following allogeneic hematopoietic stem cell transplantation.
Transpl Int. 2013;26(6):631-9. 【WGP 19-2】
34. Nakasone H, Kurosawa S, Yakushijin K, Taniguchi S, Murata M, Ikegami K, Kobayashi T, Eto T, Miyamura K, Sakamaki H, Morishima Y, Nagamura T, Suzuki R, Fukuda T.
Impact of hepatitis C virus infection on clinical outcome in recipients after allogeneic hematopoietic cell transplantation.
Am J Hematol. 2013;88(6):477-84. 【WGP 20-1】
35. Nakasone H, Onizuka M, Suzuki N, Fujii N, Taniguchi S, Kakihana K, Ogawa H, Miyamura K, Eto T, Sakamaki H, Yabe H, Morishima Y, Kato K, Suzuki R, Fukuda T.
Pre-transplant risk factors for cryptogenic organizing pneumonia/bronchiolitis obliterans organizing pneumonia after hematopoietic cell transplantation.
Bone Marrow Transplant. 2013;48(10):1317-23. 【WGP 20-2】
36. Kato M, Matsumoto K, Suzuki R, Yabe H, Inoue M, Kigasawa H, Inagaki J, Koh K, Hashii Y, Tauchi H, Suminoe A, Kikuta A, Sakamaki H, Kawa K, Kato K, Fukuda T.
Salvage allogeneic hematopoietic SCT for primary graft failure in children.
Bone Marrow Transplant. 2013;48(9):1173-8. 【WGP 20-3】

37. Konuma T, Ooi J, Uchida N, Ogawa H, Ohashi K, Kanamori H, Aotsuka N, Onishi Y, Yamaguchi H, Kozai Y, Nagamura-Inoue T, Kato K, Suzuki R, Atsuta Y, Kato S, Asano S, Takahashi S.
Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan.
Haematologica. 2014;99(12):e264-8. 【U18】
38. Iida M, Fukuda T, Uchida N, Murata M, Aotsuka N, Minagawa K, Oohashi K, Fukushima K, Kondo T, Eto T, Miyamoto T, Morishima Y, Nagamura T, Atsuta Y, Suzuki R.
Mycophenolate mofetil use after unrelated hematopoietic stem cell transplantation for prophylaxis and treatment of graft-vs.-host disease in adult patients in Japan.
Clin Transplant. 2014;28(9):980-9. 【U19】
39. Murata M, Nishida T, Taniguchi S, Ohashi K, Ogawa H, Fukuda T, Mori T, Kobayashi H, Nakaseko C, Yamagata N, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Suzuki R, Naoe T.
Allogeneic transplantation for primary myelofibrosis with BM, peripheral blood or umbilical cord blood: an analysis of the JSHCT.
Bone Marrow Transplant. 2014;49(3):355-60. 【U20】
40. Muramatsu H, Sakaguchi H, Taga T, Tabuchi K, Adachi S, Inoue M, Kitoh T, Suminoe A, Yabe H, Azuma E, Shioda Y, Ogawa A, Kinoshita A, Kigasawa H, Osugi Y, Koike K, Kawa K, Kato K, Atsuta Y, Kudo K.
Reduced intensity conditioning in allogeneic stem cell transplantation for AML with Down syndrome.
Pediatr Blood Cancer. 2014;61(5):925-7. 【WGP 1-1】
41. Takami A, Yano S, Yokoyama H, Kuwatsuka Y, Yamaguchi T, Kanda Y, Morishima Y, Fukuda T, Miyazaki Y, Nakamae H, Tanaka J, Atsuta Y, Kanamori H.
Donor lymphocyte infusion for the treatment of relapsed acute myeloid leukemia after allogeneic hematopoietic stem cell transplantation: a retrospective analysis by the Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Biol Blood Marrow Transplant. 2014;20(11):1785-90. 【WGP 2-1】
42. Aoki J, Ishiyama K, Taniguchi S, Fukuda T, Ohashi K, Ogawa H, Kanamori H, Eto T, Iwato K, Sakamaki H, Morishima Y, Nagamura T, Atsuta Y, Takami A.
Outcome of allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia patients with central nervous system involvement.
Biol Blood Marrow Transplant. 2014;20(12):2029-33. 【WGP 2-2】
43. Kato H, Kawase T, Kako S, Mizuta S, Kurokawa M, Mori T, Ohashi K, Iwato K, Miyamura K, Hidaka M, Sakamaki H, Suzuki R, Morishima Y, Tanaka J.
Analysis of outcomes following autologous stem-cell transplantation in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukemia during the first complete remission.
Haematologica. 2014;99(11):e228-30. 【WGP 4-4】
44. Mizuta S, Matsuo K, Nishiwaki S, Imai K, Kanamori H, Ohashi K, Fukuda T, Onishi Y, Miyamura K, Takahashi S, Onizuka M, Atsuta Y, Suzuki R, Morishima Y, Kato K, Sakamaki H, Tanaka J.
Pretransplant administration of imatinib for allo-HSCT in patients with BCR-ABL-positive acute lymphoblastic leukemia.
Blood. 2014;123(15):2325-32. 【WGP 4-5】

45. Ohashi K, Nagamura-Inoue T, Nagamura F, Tojo A, Miyamura K, Mori T, Kurokawa M, Taniguchi S, Ishikawa J, Morishima Y, Atsuta Y, Sakamaki H.
Effect of graft sources on allogeneic hematopoietic stem cell transplantation outcome in adults with chronic myeloid leukemia in the era of tyrosine kinase inhibitors: a Japanese Society of Hematopoietic Cell Transplantation retrospective analysis.
Int J Hematol. 2014;100(3):296-306. 【WGP 6-1】
46. Kato M, Yoshida N, Inagaki J, Maeba H, Kudo K, Cho Y, Kurosawa H, Okimoto Y, Tauchi H, Yabe H, Sawada A, Kato K, Atsuta Y, Watanabe K.
Salvage allogeneic stem cell transplantation in patients with pediatric myelodysplastic syndrome and myeloproliferative neoplasms.
Pediatr Blood Cancer. 2014; 61 (10): 1860-6. 【WGP 7-1】
47. Chihara D, Izutsu K, Kondo E, Sakai R, Mizuta S, Yokoyama K, Kaneko H, Kato K, Hasegawa Y, Chou T, Sugahara H, Henzan H, Sakamaki H, Suzuki R, Suzumiya J.
High-dose chemotherapy with autologous stem cell transplantation for elderly patients with relapsed/refractory diffuse large B-cell lymphoma: a nationwide retrospective study.
Biol Blood Marrow Transplant. 2014 ;20(5):684-9. 【WGP 10-1】
48. Yoshida N, Kobayashi R, Yabe H, Kosaka Y, Yagasaki H, Watanabe K, Kudo K, Morimoto A, Ohga S, Muramatsu H, Takahashi Y, Kato K, Suzuki R, Ohara A, Kojima S.
Firstline treatment for severe aplastic anemia in children: bone marrow transplantation from a matched family donor versus immunosuppressive therapy.
Haematologica. 2014;99(12):1784-91. 【WGP 11-2】
49. Kobayashi R, Yabe H, Kikuchi A, Kudo K, Yoshida N, Watanabe K, Muramatsu H, Takahashi Y, Inoue M, Koh K, Inagaki J, Okamoto Y, Sakamaki H, Kawa K, Kato K, Suzuki R, Kojima S.
Bloodstream infection after stem cell transplantation in children with idiopathic aplastic anemia.
Biol Blood Marrow Transplant. 2014;20(8):1145-9. 【WGP 11-3】
50. Kato K, Choi I, Wake A, Uike N, Taniguchi S, Moriuchi Y, Miyazaki Y, Nakamae H, Oku E, Murata M, Eto T, Akashi K, Sakamaki H, Kato K, Suzuki R, Yamanaka T, Utsunomiya A.
Treatment of patients with adult T cell leukemia/lymphoma with cord blood transplantation: a Japanese nationwide retrospective survey.
Biol Blood Marrow Transplant. 2014;20(12):1968-74. 【WGP 13-3】
51. Kanda Y, Kanda J, Atsuta Y, Fuji S, Maeda Y, Ichinohe T, Takanashi M, Ohashi K, Fukuda T, Miyamura K, Mori T, Sao H, Kobayashi N, Iwato K, Sawada A, Mori S; HLA working group of the Japan Society for Hematopoietic Cell Transplantation.
Changes in the clinical impact of high-risk human leukocyte antigen allele mismatch combinations on the outcome of unrelated bone marrow transplantation.
Biol Blood Marrow Transplant. 2014;20(4):526-35. 【WGP 17-5】

52. Kanda J, Fuji S, Kato S, Takami A, Tanaka J, Miyamura K, Ohashi K, Fukuda T, Ozawa Y, Kanamori H, Eto T, Kobayashi N, Iwato K, Morishima Y, Sakamaki H, Atsuta Y, Kanda Y; HLA Working Group; Donor/Source Working Group; Adult AML Working Group; Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Decision analysis for donor selection in stem cell transplantation-HLA-8/8 allele-matched unrelated donor vs HLA-1 AG mismatched related donor.
Blood Cancer J. 2014;4:e263. 【WGP 17-6】
53. Fuji S, Kanda J, Kato S, Ikegami K, Morishima S, Miyamoto T, Hidaka M, Kubo K, Miyamura K, Ohashi K, Kobayashi H, Maesako Y, Adachi S, Ichinohe T, Atsuta Y, Kanda Y; HLA Working Group of Japan Society for Hematopoietic Cell Transplantation.
Impact of HLA allele mismatch on the clinical outcome in serologically matched related hematopoietic SCT.
Bone Marrow Transplant. 2014;49(9):1187-92. 【WGP 17-7】
54. Kuwatsuka Y, Atsuta Y, Horowitz MM, Inagaki J, Kanda J, Kato K, Koh K, Zhang MJ, Eapen M; Center for International Blood and Marrow Transplant Research (CIBMTR), and Donor/Source and GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).
Graft-versus-host disease and survival after cord blood transplantation for acute leukemia: a comparison of Japanese versus White populations.
Biol Blood Marrow Transplant. 2014;20(5):662-7. 【WGP 18-2】
55. Kanda J, Nakasone H, Atsuta Y, Toubai T, Yokoyama H, Fukuda T, Taniguchi S, Ohashi K, Ogawa H, Eto T, Miyamura K, Morishima Y, Nagamura-Inoue T, Sakamaki H, Murata M.
Risk factors and organ involvement of chronic GVHD in Japan.
Bone Marrow Transplant. 2014;49(2):228-35. 【WGP 19-3】
56. Fuji S, Takano K, Mori T, Eto T, Taniguchi S, Ohashi K, Sakamaki H, Morishima Y, Kato K, Miyamura K, Suzuki R, Fukuda T.
Impact of pretransplant body mass index on the clinical outcome after allogeneic hematopoietic SCT.
Bone Marrow Transplant. 2014;49(12):1505-12. 【WGP 20-4】
57. Ishida H, Adachi S, Hasegawa D, Okamoto Y, Goto H, Inagaki J, Inoue M, Koh K, Yabe H, Kawa K, Kato K, Atsuta Y, Kudo K.
Comparison of a fludarabine and melphalan combination-based reduced toxicity conditioning with myeloablative conditioning by radiation and/or busulfan in acute myeloid leukemia in Japanese children and adolescents.
Pediatr Blood Cancer. (in press). 【WGP 1-2】
58. Kato K, Kato M, Hasegawa D, Kawasaki H, Ishida H, Okamoto Y, Koh K, Inoue M, Inagaki J, Kato, Sakamaki H, Yabe H, Kawa K, Suzuki R, and Atsuta Y.
Comparison of transplantation with reduced and myeloablative conditioning for children with acute lymphoblastic leukemia.
Blood. 2015;125(8):1352-4. 【WGP 3-3】

59. Goto H, Kaneko T, Shioda Y, Kajiwara M, Sakashita K, Kitoh T, Hayakawa A, Miki M, Kato K, Ogawa A, Hashii Y, Inukai T, Kato C, Sakamaki H, Yabe H, Suzuki R, Kato K.
Hematopoietic stem cell transplantation for patients with acute lymphoblastic leukemia and Down syndrome.
Pediatr Blood Cancer. 2015;62(1):148-52. 【WGP 3-4】
60. Kato M, Hasegawa D, Koh K, Kato K, Takita J, Inagaki J, Yabe H, Goto H, Adachi S, Hayakawa A, Takeshita Y, Sawada A, Atsuta Y, Kato K.
Allogeneic haematopoietic stem cell transplantation for infant acute lymphoblastic leukaemia with KMT2A (MLL) rearrangements: a retrospective study from the paediatric acute lymphoblastic leukaemia working group of the Japan Society for Haematopoietic Cell Transplantation.
Br J Haematol. 2015;168(4):564-70. 【WGP 3-5】
61. Aoki K, Ishikawa T, Ishiyama K, Aoki J, Itonaga H, Fukuda T, Kakihana K, Uchida N, Ueda Y, Eto T, Mori T, Kondo T, Iwato K, Morishima Y, Tanaka J, Atsuta Y, Miyazaki Y; Adult Myelodysplastic Syndromes Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).
Allogeneic haematopoietic cell transplantation with reducedintensity conditioning for elderly patients with advanced myelodysplastic syndromes: a nationwide study.
Br J Haematol. 2015;168(3):463-6. 【WGP 8-1】
62. Fukano R, Mori T, Kobayashi R, Mitsui T, Fujita N, Iwasaki F, Suzumiya J, Chin M, Goto H, Takahashi Y, Hara J, Park YD, Inoue M, Koga Y, Inagaki J, Sakamaki H, Adachi S, Kawa K, Kato K, Suzuki R.
Haematopoietic stem cell transplantation for relapsed or refractory anaplastic large cell lymphoma: a study of children and adolescents in Japan.
Br J Haematol. (in press). 【WGP 9-2】
63. Kako S, Izutsu K, Kato K, Kim SW, Mori T, Fukuda T, Kobayashi N, Taji H, Hashimoto H, Kondo T, Sakamaki H, Morishima Y, Kato K, Suzuki R, Suzumiya J; Adult Lymphoma Working Group of the Japanese Society for Hematopoietic Cell Transplantation.
The role of hematopoietic stem cell transplantation for relapsed and refractory Hodgkin lymphoma.
Am J Hematol. 2015;90(2):132-8. 【WGP 10-2】
64. Takamatsu H, Honda S, Miyamoto T, Yokoyama K, Hagiwara S, Ito T, Tomita N, Iida S, Iwasaki T, Sakamaki H, Suzuki R, Sunami K.
Changing trends in prognostic factors for patients with multiple myeloma after autologous stem cell transplantation during the immunomodulator drug/proteasome inhibitor era.
Cancer Sci. (in press). 【WGP 14-1】
65. Kawamura K, Takamatsu H, Ikeda T, Komatsu T, Aotsuka N, Amano I, Yamamoto G, Watanabe K, Ohno Y, Matsue K, Kouzai Y, Tsukada N, Ishiyama K, Anzai N, Kato K, Suzuki R, Sunami K, Kanda Y.
Cord blood transplantation for multiple myeloma: study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Biology of Blood and Marrow Transplant. (in press). 【WGP 14-2】

66. Kanda J, Ichinohe T, Fuji S, Maeda Y, Ohashi K, Fukuda T, Miyamura K, Iwato K, Eto T, Nakamae H, Kobayashi N, Mori T, Mori S, Morishima Y, Atsuta Y, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Impact of HLA Mismatch Direction on the Outcome of Unrelated Bone Marrow Transplantation: A Retrospective Analysis from the Japan Society for Hematopoietic Cell Transplantation.
Biol Blood Marrow Transplant. 2015;21(2):305-11. 【WGP 17-8】
67. Tanaka M, Miyamura K, Terakura S, Imai K, Uchida N, Ago H, Sakura T, Eto T, Ohashi K, Fukuda T, Taniguchi S, Mori S, Nagamura-Inoue T, Atsuta Y, Okamoto S.
Comparison of Cord Blood Transplantation with Unrelated Bone Marrow Transplantation in Patients Older than Fifty Years.
Biol Blood Marrow Transplant. 2015;21(3):517-25. 【WGP 18-3】
68. Nakasone H, Fukuda T, Kanda J, Mori T, Yano S, Kobayashi T, Miyamura K, Eto T, Kanamori H, Iwato K, Uchida N, Mori S, Nagamura-Inoue T, Ichinohe T, Atsuta Y, Teshima T, Murata M.
Impact of conditioning intensity and TBI on acute GVHD after hematopoietic cell transplantation.
Bone Marrow Transplant. (in press). 【WGP 19-4】
69. Nakane T, Fukuda T, Kanda J, Taniguchi S, Eto T, Ohashi K, Nakamae H, Kurokawa M, Mori T, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Murata M.
Age influences post-graft-versus-host disease non-relapse mortality in adults with acute graft-versus-host disease of varying severity following allogeneic hematopoietic cell transplant.
Leuk Lymphoma. (in press). 【WGP 19-5】
70. Umeda K, Adachi S, Tanaka S, Ogawa A, Hatakeyama N, Kudo K, Sakata N, Igarashi S, Ohshima K, Hyakuna N, Chin M, Goto H, Takahashi Y, Azuma E, Koh K, Sawada A, Kato K, Inoue M, Atsuta Y, Takami A, Murata M; on behalf of the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.
Comparison of continuous and twice-daily infusions of cyclosporine A for graft-versus-host-disease prophylaxis in pediatric hematopoietic stem cell transplantation.
Pediatr Blood Cancer. (in press). 【WGP 19-6】
71. Takano K, Fuji S, Uchida N, Ogawa H, Ohashi K, Eto T, Sakamaki H, Morishima Y, Kato K, Suzuki R, Fukuda T.
Pre-transplant diabetes mellitus is a risk factor for non-relapse mortality, especially infection-related mortality, after allogeneic hematopoietic SCT.
Bone Marrow Transplant. (in press). 【WGP 20-5】