

Table1-1.
Patient, disease, and transplant characteristics

■ 「疾患名／既往歴」等の自由記載欄に keyword を含む症例
(Keywords : HIV,AIDS,エイズ)

characteristics	Auto Number	Percent	Allo Number	Percent
Total number	15		2	
Year of transplant				
-1990	0	(0)	0	(0)
1991-1995	0	(0)	0	(0)
1996-2000	0	(0)	0	(0)
2001-2005	0	(0)	0	(0)
2006-2010	9	(60)	1	(50)
2011-	6	(40)	1	(50)
Transplant type				
Autologous	15	(100)	-	-
Bone marrow from related donors	-	-	0	(0)
Peripheral blood from related donors	-	-	2	(100)
Bone marrow from unrelated donors	-	-	0	(0)
Peripheral blood from unrelated donors	-	-	0	(0)
Cord blood from unrelated donors	-	-	0	(0)
Recipient age at transplant				
Median (range)	41	(22-62)	42.5	(37-48)
0-15	0	(0)	0	(0)
16-39	7	(47)	1	(50)
40-	8	(53)	1	(50)
Recipient sex				
Female	1	(7)	0	(0)
Male	14	(93)	2	(100)
Recipient and donor sex matching				
Match	-	-	0	(0)
Male to female	-	-	0	(0)
Female to male	-	-	2	(100)
ECOG performance status				
0-1	12	(80)	2	(100)
2-	3	(20)	0	(0)
Recipient ABO type				
O	-	-	0	(0)
A	-	-	1	(50)
B	-	-	0	(0)
AB	-	-	1	(50)
Recipient and donor ABO matching				
Matched	-	-	1	(50)
Minor mismatch	-	-	1	(50)
Major mismatch	-	-	0	(0)
Major-minor mismatch	-	-	0	(0)
Diagnosis				
Non-Hodgkin's lymphoma	14	(93)	2	(100)
Others (HIV related lymphoma)	1	(7)	0	(0)
WHO histological classification of Non-Hodgkin lymphoma				
Precursor B-cell neoplasms	1	(7)	0	(0)
Mature B-cell neoplasms	9	(60)	1	(50)
Mature T/NK-cell neoplasms	3	(20)	1	(50)
Others (Plasmablastic lymphoma)	1	(7)	0	(0)
missing (HIV related lymphoma)	1	(7)	0	(0)

Table1-2.
Patient, disease, and transplant characteristics

■「移植前 HIV 抗体」が“有”の症例
※未検査(6,561 例)および missing(41,984 例)を除く

characteristics	Auto Number	Percent	Allo Number	Percent
Total number	94		209	
Year of transplant				
-1990	0	(0)	0	(0)
1991-1995	0	(0)	2	(1)
1996-2000	3	(3)	4	(2)
2001-2005	5	(5)	20	(10)
2006-2010	43	(46)	94	(45)
2011-	43	(46)	89	(43)
Transplant type				
Autologous	94	(100)	-	-
Bone marrow from related donors	-	-	32	(15)
Peripheral blood from related donors	-	-	51	(24)
Bone marrow and Peripheral blood from related donors	-	-	1	(1)
Bone marrow from unrelated donors	-	-	67	(32)
Cord blood from unrelated donors	-	-	58	(28)
Recipient age at transplant				
Median (range)	51.5	(1-70)	44	(0-72)
0-15	11	(12)	22	(11)
16-39	13	(14)	57	(27)
40-	70	(75)	130	(62)
Recipient sex				
Female	32	(34)	92	(44)
Male	62	(66)	117	(56)
Recipient and donor sex matching				
Match	-	-	88	(42)
Male to female	-	-	53	(25)
Female to male	-	-	44	(21)
missing (Donor sex)	-	-	24	(11)
ECOG performance status				
0-1	84	(89)	181	(87)
2-	10	(11)	26	(12)
missing	0	(0)	2	(1)
Recipient ABO type				
O	-	-	63	(30)
A	-	-	77	(37)
B	-	-	40	(19)
AB	-	-	27	(13)
missing	-	-	2	(1)
Recipient and donor ABO matching				
Matched	-	-	96	(46)
Minor mismatch	-	-	48	(23)
Major mismatch	-	-	37	(18)
Major-Minor mismatch	-	-	26	(12)
missing			2	(1)
Diagnosis				
Acute myeloid leukemia	1	(1)	95	(45)
Acute lymphoblastic leukemia	0	(0)	27	(13)
Adult T cell Lymphoma/Leukemia	0	(0)	9	(4)
Chronic myeloid leukemia	0	(0)	9	(4)
Myelodysplastic syndromes	0	(0)	18	(9)
Other leukemia	0	(0)	2	(1)
Myeloproliferative Neoplasms	0	(0)	5	(2)

Non Hodgkin's Lymphoma	47	(50)	24	(11)
Hodgkin's Lymphoma	3	(3)	1	(0)
Chronic lymphoid leukemia	0	(0)	1	(0)
Multiple myeloma	27	(29)	2	(1)
Plasma cell leukemia	0	(0)	1	(0)
Plasma Cell Neoplasma	1	(1)	0	(0)
Aplastic anemia	0	(0)	5	(2)
Solid Tumor	14	(15)	6	(3)
Epstein Barr virus related disorders	0	(0)	3	(1)
Primary immunodeficiency	0	(0)	1	(0)
Others	1	(1)	0	(0)
