




図 8 HL 症例での生存曲線

図 8.1 自家移植




8.1-3 移植時病期別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	132	94.4%	88.5-97.3	108	80.7%	71.4-87.2	52	74.8%	61.8-83.9	19
② 2CR	307	93.9%	90.4-96.1	258	77.5%	71.4-82.5	116	68.5%	60.0-75.5	32
③ >=3CR	47	93.4%	81.0-97.8	41	67.9%	49.8-80.7	19	67.9%	49.8-80.7	11
④ 1PR	91	83.2%	73.6-89.5	73	57.9%	45.4-68.5	28	46.7%	30.6-61.2	3
⑤ 2PR	98	94.7%	87.7-97.7	80	65.1%	52.3-75.3	28	53.4%	36.5-67.6	1
⑥ NIR	369	78.5%	73.9-82.4	266	60.7%	55.0-65.9	116	52.2%	45.6-58.3	52

8.1-4 移植時病期別(16歳以上40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	79	94.8%	86.6-98.0	66	87.9%	77.1-93.8	37	87.9%	77.1-93.8	14
② 2CR	183	96.0%	91.8-98.1	160	81.8%	74.0-87.4	80	75.3%	65.7-82.5	24
③ >=3CR	24	95.8%	73.9-99.4	22	76.7%	52.6-89.7	14	76.7%	52.6-89.7	7
④ 1PR	50	94.0%	82.5-98.0	46	67.9%	50.6-80.2	18	62.2%	42.7-76.8	2
⑤ 2PR	57	100.0%	.	50	74.5%	57.2-85.6	19	.	.	.
⑥ NIR	234	83.3%	77.8-87.6	183	64.6%	57.5-70.8	87	55.3%	47.3-62.6	37

8. 1-5 移植時病期別 (40歳以上)



対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	53	93.7%	81.7-97.9	42	68.9%	50.6-81.6	15	51.7%	26.0-72.4	5
②	2CR	124	90.7%	83.8-94.7	98	71.1%	60.6-79.3	36	55.4%	37.0-70.4	8
③	>=3CR	23	90.9%	68.1-97.6	19	54.5%	24.3-77.1	5	54.5%	24.3-77.1	4
④	1PR	41	69.3%	52.3-81.2	27	45.9%	28.1-62.0	10	30.1%	11.0-52.0	1
⑤	2PR	41	86.6%	70.8-94.2	30	50.7%	30.7-67.7	9	29.6%	7.5-56.5	1
⑥	NIR	135	70.1%	61.4-77.2	83	53.9%	43.8-62.9	29	46.6%	35.0-57.4	15

図 8.2 同種造血幹細胞移植



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① Rel-BMT	18	72.2%	45.6-87.4	13	60.6%	34.6-79.0	7	60.6%	34.6-79.0	5
② Rel-PB	44	60.8%	44.7-73.5	24	35.4%	20.7-50.5	11	25.4%	12.4-40.7	4
③ UR-BM	37	69.6%	51.9-81.9	23	57.0%	38.9-71.5	8	49.8%	29.4-67.3	2
④ UR-CB	23	41.4%	21.1-60.7	8	15.5%	4.0-34.2	2	15.5%	4.0-34.2	1