


図7 NHL 症例での生存曲線


図 7.1 自家移植

7.1-1 移植時病期別




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	4781	89.6%	88.7-90.5	3906	76.2%	74.8-77.5	2075	67.5%	65.7-69.3	693
② 2CR	2194	85.6%	84.1-87.1	1688	63.5%	61.1-65.7	709	52.0%	49.0-54.9	228
③ >=3CR	288	79.8%	74.6-84.1	211	52.4%	45.8-58.6	85	40.4%	32.5-48.1	24
④ 1PR	1261	76.2%	73.6-78.5	855	58.3%	55.2-61.2	402	49.7%	46.0-53.2	133
⑤ 2PR	637	70.4%	66.5-73.9	384	50.7%	46.0-55.1	126	42.8%	35.6-49.8	17
⑥ NIR	2693	56.4%	54.5-58.3	1374	38.9%	36.8-40.9	583	32.3%	30.1-34.5	246

7. 1-2 移植時病期別 (16歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	119	97.4%	92.3-99.2	113	90.4%	83.4-94.6	98	90.4%	83.4-94.6	71
②	2CR	38	63.2%	45.9-76.3	24	57.3%	40.0-71.4	17	52.9%	35.0-68.0	12
③	>=3CR	8	50.0%	15.2-77.5	4	37.5%	8.7-67.4	3	37.5%	8.7-67.4	2
④	1PR	2	100.0%	.	2	100.0%	.	1	100.0%	.	1
⑤	2PR	1	.	.	.	.	.	.	.	.	.
⑥	NIR	38	34.2%	19.8-49.1	13	26.3%	13.7-40.8	10	26.3%	13.7-40.8	7

7. 1-3 移植時病期別 (16歳以上)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	4661	89.4%	88.5-90.3	3792	75.8%	74.4-77.1	1978	66.5%	64.6-68.4	622
②	2CR	2156	86.1%	84.5-87.5	1664	63.6%	61.2-65.8	692	51.8%	48.8-54.8	216
③	>=3CR	280	80.7%	75.4-84.9	207	52.8%	46.1-59.1	82	40.1%	31.9-48.1	22
④	1PR	1259	76.1%	73.6-78.4	853	58.2%	55.2-61.2	401	49.6%	45.9-53.1	132
⑤	2PR	636	70.5%	66.7-74.1	384	50.7%	46.1-55.2	126	42.8%	35.6-49.9	17
⑥	NIR	2655	56.7%	54.8-58.6	1361	39.0%	37.0-41.1	573	32.3%	30.1-34.5	239

7.1-4 移植時病期別(16歳以上40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	800	92.7%	90.6-94.4	691	82.5%	79.5-85.1	426	78.5%	74.9-81.7	169
② 2CR	234	89.4%	84.5-92.7	192	73.3%	66.4-78.9	97	65.8%	57.4-72.9	43
③ >=3CR	22	90.9%	68.3-97.7	20	57.7%	34.2-75.4	9	28.5%	6.5-56.2	2
④ 1PR	221	78.1%	71.9-83.1	155	63.1%	55.8-69.5	84	59.1%	51.2-66.2	30
⑤ 2PR	60	80.3%	67.2-88.6	40	64.8%	49.8-76.4	16	44.6%	17.3-68.9	3
⑥ NIR	498	59.3%	54.8-63.6	277	44.8%	40.2-49.3	152	42.1%	37.4-46.8	82

7.1-5 移植時病期別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	3861	88.7%	87.6-89.7	3101	74.3%	72.7-75.8	1551	63.6%	61.4-65.8	453
② 2CR	1922	85.6%	84.0-87.2	1472	62.3%	59.7-64.7	595	49.8%	46.5-53.1	174
③ >=3CR	258	79.8%	74.2-84.3	187	52.3%	45.3-58.9	73	41.5%	33.2-49.7	20
④ 1PR	1038	75.7%	72.9-78.2	698	57.1%	53.7-60.4	317	47.4%	43.3-51.4	102
⑤ 2PR	576	69.5%	65.4-73.3	344	49.2%	44.3-54.0	110	44.0%	37.9-49.9	14
⑥ NIR	2157	56.1%	53.9-58.2	1085	37.5%	35.2-39.8	421	29.3%	26.8-31.9	157

7.1-6 分類別




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	DLBCL	5102	78.9%	77.7-80.0	3562	63.3%	61.8-64.7	1543	54.9%	52.9-56.8	406
②	Follicular	1048	89.3%	87.3-91.1	853	76.3%	73.3-79.0	479	66.2%	62.2-69.9	155
③	Mantle	570	93.5%	91.1-95.3	460	76.9%	72.3-80.8	180	54.5%	46.0-62.2	24
④	Lymphoblastic	558	77.5%	73.7-80.9	389	60.9%	56.2-65.2	175	55.0%	49.6-60.2	64

7.1-7 分類別(16歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	DLBCL	12	100.0%	.	11	100.0%	.	9	100.0%	.	5
②	Lymphoblastic	43	73.6%	57.4-84.4	30	61.4%	44.8-74.3	22	61.4%	44.8-74.3	18

7.1-8 分類別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	5090	78.9%	77.7-80.0	3551	63.2%	61.7-64.7	1534	54.7%	52.8-56.7	401
② Follicular	1048	89.3%	87.3-91.1	853	76.3%	73.3-79.0	479	66.2%	62.2-69.9	155
③ Mantle	570	93.5%	91.1-95.3	460	76.9%	72.3-80.8	180	54.5%	46.0-62.2	24
④ Lymphoblastic	515	77.9%	73.9-81.3	359	60.6%	55.6-65.2	153	53.4%	47.3-59.2	46

7.1-9 分類別(16歳以上40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	542	84.0%	80.5-86.9	398	76.8%	72.7-80.3	235	70.9%	65.4-75.6	77
② Follicular	60	91.2%	80.2-96.3	50	81.6%	68.5-89.7	39	74.1%	59.2-84.3	21
③ Mantle	11	90.9%	50.8-98.7	9	90.9%	50.8-98.7	5	90.9%	50.8-98.7	3
④ Lymphoblastic	137	80.2%	72.3-86.1	101	65.7%	56.3-73.5	51	61.4%	50.5-70.6	20

7.1-10 分類別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	4548	78.2%	77.0-79.4	3153	61.5%	59.9-63.1	1298	52.6%	50.5-54.7	324
② Follicular	988	89.2%	87.1-91.0	803	75.9%	72.8-78.7	440	65.5%	61.3-69.4	134
③ Mantle	559	93.6%	91.1-95.4	451	76.6%	72.0-80.6	175	53.3%	44.5-61.2	21
④ Lymphoblastic	378	77.0%	72.3-81.1	258	58.5%	52.6-64.0	102	49.8%	42.2-57.0	26

7.1-11 第一寛解期 分類別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	1912	89.7%	88.2-91.0	1560	77.9%	75.8-79.9	787	68.0%	64.7-71.1	197
② Follicular	267	94.5%	90.9-96.7	231	87.3%	82.1-91.0	157	82.5%	76.2-87.2	58
③ Mantle	415	96.5%	94.1-97.9	345	83.3%	78.2-87.3	131	62.5%	51.8-71.5	15
④ Lymphoblastic	246	89.3%	84.6-92.6	198	72.2%	65.2-78.1	87	62.6%	53.6-70.4	22

7.1-12 第一寛解期 分類別(16歳以上40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	246	92.7%	88.5-95.4	205	90.1%	85.3-93.4	127	84.3%	76.0-90.0	39
② Follicular	21	100.0%	.	18	88.9%	62.4-97.1	15	88.9%	62.4-97.1	7
③ Mantle	7	100.0%	.	6	100.0%	.	4	100.0%	.	2
④ Lymphoblastic	72	91.2%	81.5-96.0	61	77.7%	65.0-86.3	34	75.3%	62.0-84.5	12


7.1-13 第一寛解期 分類別(40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	1666	89.3%	87.6-90.7	1355	76.1%	73.7-78.2	659	65.5%	61.9-68.9	158
② Follicular	246	94.1%	90.2-96.5	213	87.2%	81.8-91.1	142	81.8%	75.1-86.9	51
③ Mantle	408	96.4%	94.0-97.9	339	83.0%	77.8-87.1	127	61.3%	50.2-70.6	13
④ Lymphoblastic	174	88.5%	82.5-92.5	137	69.6%	60.7-76.8	53	55.8%	43.6-66.3	10


図 7.2 同種造血幹細胞移植

7. 2-1 移植種類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① Rel-BM	394	63.8%	58.9-68.4	245	52.7%	47.6-57.6	166	50.9%	45.7-55.9	103
② Rel-PB	400	52.0%	46.9-56.8	194	37.9%	32.9-42.9	104	35.7%	30.7-40.8	43
③ UR-BM	430	70.6%	66.0-74.7	283	55.8%	50.7-60.5	162	51.0%	45.6-56.1	73
④ UR-PB	7	28.6%	4.1-61.2	1	.	.	.	.	.	.
⑤ UR-CB	312	55.0%	49.2-60.4	157	47.7%	41.8-53.3	72	46.8%	40.8-52.6	20


7. 2-2 移植種類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① Rel-BM	287	54.7%	48.7-60.3	151	43.4%	37.5-49.1	91	37.2%	31.2-43.3	42
② Rel-PB	830	48.6%	45.1-52.1	367	36.6%	33.1-40.1	179	34.5%	31.0-38.1	91
③ UR-BM	785	56.9%	53.3-60.3	411	45.0%	41.2-48.7	178	41.0%	36.8-45.2	41
④ UR-PB	19	43.3%	19.8-64.9	4	.	.	.	.	.	.
⑤ UR-CB	696	40.5%	36.7-44.1	251	33.3%	29.6-37.1	86	28.5%	23.3-33.8	16


図 7.3 血縁者間骨髄移植

7. 3-1 移植時病期別 (40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	130	82.9%	75.2-88.4	106	70.5%	61.6-77.7	73	65.7%	56.2-73.7	42
② 2CR	68	66.8%	54.1-76.8	43	57.2%	44.3-68.2	30	55.3%	42.3-66.5	20
③ >=3CR	14	78.6%	47.3-92.5	11	71.4%	40.6-88.2	9	71.4%	40.6-88.2	8
④ 1PR	18	72.2%	45.6-87.4	12	60.2%	34.0-78.7	10	60.2%	34.0-78.7	6
⑤ 2PR	10	90.0%	47.3-98.5	9	70.0%	32.9-89.2	4	.	.	.
⑥ NIR	139	39.2%	31.0-47.2	53	29.3%	21.8-37.1	31	29.3%	21.8-37.1	21

7. 3-2 移植時病期別 (40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	47	66.0%	50.6-77.6	31	55.1%	39.8-68.0	22	48.8%	33.1-62.8	9
② 2CR	32	71.9%	52.9-84.3	23	61.9%	42.7-76.3	15	53.0%	33.3-69.4	7
③ >=3CR	15	86.7%	56.4-96.5	12	56.9%	27.7-78.0	6	45.5%	17.0-70.5	2
④ 1PR	26	61.5%	40.3-77.1	16	50.0%	29.9-67.2	11	37.5%	17.8-57.3	3
⑤ 2PR	20	61.9%	35.9-79.9	9	47.2%	22.0-68.8	3	47.2%	22.0-68.8	2
⑥ NIR	136	39.5%	31.2-47.6	52	29.8%	22.2-37.8	30	25.3%	17.9-33.4	16

7. 3-3 分類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	23	52.2%	30.5-70.0	12	47.4%	26.3-65.9	7	47.4%	26.3-65.9	3
② Follicular	3	100.0%	.	3	66.7%	5.4-94.5	2	66.7%	5.4-94.5	1
③ Mantle	1	100.0%	.	1	100.0%	.	1	100.0%	.	1
④ Lymphoblastic	98	70.5%	60.2-78.6	64	56.7%	45.9-66.1	44	53.6%	42.6-63.4	26


7. 3-4 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	33	41.2%	24.3-57.4	12	33.3%	17.4-50.1	6	26.7%	11.1-45.2	2
② Follicular	63	69.4%	56.3-79.3	41	58.5%	44.9-69.9	23	55.9%	41.9-67.7	14
③ Mantle	8	62.5%	22.9-86.1	5	50.0%	15.2-77.5	4	50.0%	15.2-77.5	3
④ Lymphoblastic	18	48.9%	24.6-69.4	8	36.7%	15.4-58.4	5	36.7%	15.4-58.4	3


図 7.4 血縁者間末梢血幹細胞移植

7. 4-1 移植時病期別 (40歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	76	79.7%	68.5-87.2	55	64.6%	51.6-74.9	32	64.6%	51.6-74.9	18
②	2CR	36	82.6%	65.3-91.8	28	65.1%	45.4-79.2	15	65.1%	45.4-79.2	4
③	>=3CR	5	53.3%	6.8-86.3	2	26.7%	1.0-68.6	1	26.7%	1.0-68.6	1
④	1PR	31	80.3%	61.3-90.6	24	62.3%	42.2-77.2	16	54.5%	34.6-70.7	3
⑤	2PR	17	58.2%	31.7-77.5	8	36.4%	14.0-59.5	2	.	.	.
⑥	NIR	219	34.1%	27.9-40.5	71	22.0%	16.6-27.9	35	21.1%	15.7-27.1	15

7. 4-2 移植時病期別 (40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	94	68.1%	57.4-76.7	54	50.7%	39.1-61.3	22	47.9%	35.7-59.2	13
② 2CR	61	76.9%	64.2-85.6	46	65.8%	52.0-76.5	27	61.1%	45.1-73.7	10
③ >=3CR	22	72.4%	48.6-86.6	15	54.9%	30.0-74.3	6	54.9%	30.0-74.3	2
④ 1PR	73	62.4%	49.8-72.6	40	51.5%	38.9-62.6	22	46.2%	33.1-58.3	7
⑤ 2PR	67	51.4%	38.7-62.6	31	36.0%	23.3-49.0	12	36.0%	23.3-49.0	4
⑥ NIR	489	37.4%	33.1-41.7	170	26.1%	22.1-30.3	80	24.9%	20.9-29.2	47

7. 4-3 分類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	44	38.6%	24.5-52.6	17	14.4%	5.7-27.0	5	11.5%	3.9-23.7	1
② Follicular	12	91.7%	53.9-98.8	11	82.5%	46.1-95.3	9	82.5%	46.1-95.3	4
③ Mantle	1	100.0%	.	1	100.0%	.	1	100.0%	.	1
④ Lymphoblastic	108	57.9%	47.8-66.7	58	42.5%	32.3-52.4	26	38.4%	27.8-48.8	11


7. 4-4 分類別 (40歳以上)



対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	DLBCL	167	28.5%	21.8-35.6	45	12.4%	7.5-18.6	10	12.4%	7.5-18.6	5
②	Follicular	170	64.1%	56.3-70.9	98	57.2%	49.0-64.6	59	54.8%	46.3-62.6	30
③	Mantle	29	62.1%	42.1-76.9	18	44.8%	26.5-61.6	11	44.8%	26.5-61.6	4
④	Lymphoblastic	52	48.6%	34.2-61.5	23	39.2%	25.4-52.7	11	31.4%	15.2-49.0	4


図 7.5 非血縁者間骨髓移植

7.5-1 移植時病期別(40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	125	87.0%	79.7-91.9	103	75.9%	67.0-82.8	63	71.2%	61.0-79.2	29
② 2CR	66	82.8%	71.2-90.1	50	66.1%	52.1-76.8	28	57.0%	41.5-69.8	13
③ >=3CR	18	71.8%	44.9-87.2	12	41.0%	18.1-62.9	4	41.0%	18.1-62.9	2
④ 1PR	28	75.0%	54.6-87.2	21	53.3%	33.5-69.7	12	53.3%	33.5-69.7	5
⑤ 2PR	22	85.9%	62.4-95.2	18	66.9%	39.6-84.0	6	66.9%	39.6-84.0	1
⑥ NIR	134	48.3%	39.4-56.6	58	36.1%	27.7-44.6	34	30.3%	21.6-39.4	12

7.5-2 移植時病期別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	98	67.0%	56.5-75.5	59	54.1%	42.6-64.2	20	54.1%	42.6-64.2	7
② 2CR	92	82.2%	72.6-88.7	71	68.2%	56.6-77.4	38	66.4%	54.5-75.9	12
③ >=3CR	52	66.7%	52.0-77.8	33	53.0%	37.9-66.0	8	53.0%	37.9-66.0	2
④ 1PR	54	71.3%	57.0-81.6	35	51.9%	36.3-65.4	14	47.5%	31.3-62.1	4
⑤ 2PR	72	63.2%	50.9-73.3	44	51.8%	38.6-63.5	17	.	.	.
⑥ NIR	381	44.8%	39.7-49.9	154	35.3%	30.2-40.3	72	30.7%	25.1-36.4	14

7.5-3 分類別(40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	20	59.2%	34.7-77.2	10	53.3%	29.2-72.5	5	40.0%	13.8-65.4	3
② Follicular	38	73.7%	56.6-84.9	28	61.9%	44.1-75.5	19	55.0%	37.0-69.8	12
③ Lymphoblastic	154	68.1%	60.0-74.9	95	49.8%	41.0-57.9	43	45.6%	35.8-54.9	13


7.5-4 分類別(40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	102	47.1%	37.0-56.5	44	37.4%	27.5-47.1	20	32.7%	21.0-44.9	3
② Follicular	261	67.2%	61.0-72.6	164	55.9%	49.4-62.0	81	50.9%	43.4-57.8	22
③ Mantle	35	67.9%	49.6-80.8	21	51.0%	32.6-66.7	12	46.7%	28.4-63.1	2
④ Lymphoblastic	75	52.3%	40.0-63.2	35	39.3%	27.2-51.2	9	33.7%	19.8-48.2	3


図 7.6 非血縁者間臍帯血移植

7. 6-1 移植時病期別 (40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	69	76.6%	64.7-85.0	50	73.3%	60.9-82.3	25	73.3%	60.9-82.3	5
② 2CR	40	71.9%	54.0-83.8	25	59.6%	41.4-73.9	10	59.6%	41.4-73.9	3
③ >=3CR	7	71.4%	25.8-92.0	4	53.6%	13.2-82.5	2	53.6%	13.2-82.5	1
④ 1PR	40	75.1%	57.4-86.2	25	69.1%	51.0-81.6	13	62.2%	40.7-77.8	4
⑤ 2PR	19	68.4%	42.8-84.4	13	62.7%	37.3-80.2	5	62.7%	37.3-80.2	2
⑥ NIR	136	29.9%	22.4-37.8	39	22.1%	15.2-29.7	16	22.1%	15.2-29.7	4

7. 6-2 移植時病期別 (40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	77	57.6%	45.3-68.0	36	52.4%	40.0-63.4	7	44.9%	27.7-60.7	3
② 2CR	53	54.2%	39.8-66.5	26	41.6%	26.3-56.3	9	33.3%	15.7-52.1	4
③ >=3CR	23	77.6%	54.3-90.0	17	72.1%	47.8-86.5	7	.	.	.
④ 1PR	70	43.0%	31.1-54.4	27	37.8%	26.1-49.3	13	33.6%	21.1-46.5	5
⑤ 2PR	40	46.1%	30.0-60.8	17	33.1%	17.2-49.9	5	.	.	.
⑥ NIR	431	32.7%	28.3-37.3	127	26.1%	21.8-30.6	44	19.5%	11.2-29.5	3

7. 6-3 分類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	32	45.7%	27.9-61.9	14	41.9%	24.5-58.5	4	41.9%	24.5-58.5	1
② Follicular	11	53.0%	20.9-77.3	5	42.4%	13.7-69.1	3	42.4%	13.7-69.1	1
③ Lymphoblastic	109	58.5%	48.4-67.2	58	48.7%	38.6-58.0	25	46.2%	35.6-56.2	9

7. 6-4 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	183	32.5%	25.7-39.4	52	27.3%	20.8-34.3	15	20.0%	10.7-31.5	4
② Follicular	132	51.9%	43.0-60.2	63	41.6%	32.6-50.3	29	37.0%	25.5-48.4	6
③ Mantle	17	41.2%	18.6-62.6	7	32.9%	12.0-55.9	4	24.7%	6.8-48.3	1
④ Lymphoblastic	63	47.5%	34.4-59.5	26	36.0%	21.8-50.4	5	36.0%	21.8-50.4	2