

## V. 論文業績一覧

### V-1. 一元化登録（2009年4月以降）データ利用申請・WG研究 論文業績

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
1	小児へのさい帯血移植.	加藤剛二.	日本さい帯 血バンク ネットワー ク設立10周 年記念 そ して明日か ら	2009	54-7	U1
2	Pre-transplant imatinib-based therapy improves the outcome of allogeneic hematopoietic stem cell transplantation for BCR-ABL-positive acute lymphoblastic leukemia.	Mizuta S, Matsuo K, Yagasaki F, Yujiri T, Hatta Y, Kimura Y, Ueda Y, Kanamori H, Usui N, Akiyama H, Miyazaki Y, Ohtake S, Atsuta Y, Sakamaki H, Kawa K, Morishima Y, Ohnishi K, Naoe T, Ohno R.	<i>Leukemia</i>	2011	25(1):41 -7.	U2
3	A suggested total size for the cord blood banks of Japan.	Takanashi M, Tanaka H, Kohsaki M, Nakajima K, Tadokoro K, Nakabayashi M.	<i>Bone Marrow Transplant</i>	2011	46(7):10 14-5.	U3
4	Successful cord blood transplantation in a 42-day-old boy with infantile Krabbe disease.	Yagasaki H, Kato M, Ishige M, Shichino H, Chin M, Mugishima H.	<i>Int J Hematol</i>	2011	93(4):56 6-8.	U4
5	Allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia with t(6;9)(p23;q34) dramatically improves the patient prognosis: a matched-pair analysis.	Ishiyama K, Takami A, Kanda Y, Nakao S, Hidaka M, Maeda T, Naoe T, Taniguchi S, Kawa K, Nagamura T, Atsuta Y, Sakamaki H.	<i>Leukemia</i>	2012	26(3):46 1-4.	U5
6	Prognostic factors for acute myeloid leukemia patients with t(6;9)(p23;q34) who underwent an allogeneic hematopoietic stem cell transplant.	Ishiyama K, Takami A, Kanda Y, Nakao S, Hidaka M, Maeda T, Naoe T, Taniguchi S, Kawa K, Nagamura T, Tabuchi K, Atsuta Y, Sakamaki H.	<i>Leukemia</i>	2012	26(6):14 16-9.	U6
7	Peripheral blood as a preferable source of stem cells for salvage transplantation in patients with graft failure after cord blood transplantation: a retrospective analysis of the registry data of the Japanese Society for Hematopoietic Cell Transplantation.	Fuji S, Nakamura F, Hatanaka K, Taniguchi S, Sato M, Mori S, Sakamaki H, Yabe H, Miyamoto T, Kanamori H, Ueda Y, Kawa K, Kato K, Suzuki R, Atsuta Y, Tamaki T, Kanda Y.	<i>Biol Blood Marrow Transplant</i>	2012	18(9):14 07-14.	U7
8	Impact of graft-versus-host disease on outcomes after allogeneic hematopoietic cell transplantation for adult T-cell leukemia: a retrospective cohort study.	Kanda J, Hishizawa M, Utsunomiya A, Taniguchi S, Eto T, Moriuchi Y, Tanosaki R, Kawano F, Miyazaki Y, Masuda M, Nagafuji K, Hara M, Takanashi M, Kai S, Atsuta Y, Suzuki R, Kawase T, Matsuo K, Nagamura-Inoue T, Kato S, Sakamaki H, Morishima Y, Okamura J, Ichinohe T, Uchiyama T.	<i>Blood</i>	2012	119(9):2 141-8.	U8

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
9	Related transplantation with HLA-1 Ag mismatch in the GVH direction and HLA-8/8 allele-matched unrelated transplantation: a nationwide retrospective study.	Kanda J, Saji H, Fukuda T, Kobayashi T, Miyamura K, Eto T, Kurokawa M, Kanamori H, Mori T, Hidaka M, Iwato K, Yoshida T, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Suzuki R, Atsuta Y, Kanda Y.	Blood	2012	119(10):2409-16.	U9
10	Efficacy and long-term outcome of treatment for pure red cell aplasia after allogeneic stem cell transplantation from major ABO-incompatible donors.	Hirokawa M, Fukuda T, Ohashi K, Hidaka M, Ichinohe T, Iwato K, Kanamori H, Murata M, Sakura T, Imamura M, Adachi S, Suzuki R, Morishima Y, Sakamaki H; PRCA Collaborative Study Group.	Biol Blood Marrow Transplant	2013	19(7):1026-32.	U10
11	Changes in incidence and causes of non-relapse mortality after allogeneic hematopoietic cell transplantation in patients with acute leukemia/myelodysplastic syndrome: an analysis of the Japan Transplant Outcome Registry.	Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T.	Bone Marrow Transplant	2013	48(4):529-36.	U11
12	Recent decrease in non-relapse mortality due to GVHD and infection after allogeneic hematopoietic cell transplantation in non-remission acute leukemia.	Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T.	Bone Marrow Transplant	2013	48(9):1198-204.	U12
13	PBSCT is associated with poorer survival and increased chronic GvHD than BMT in Japanese paediatric patients with acute leukaemia and an HLA-matched sibling donor.	Shinzato A, Tabuchi K, Atsuta Y, Inoue M, Inagaki J, Yabe H, Koh K, Kato K, Ohta H, Kigasawa H, Kitoh T, Ogawa A, Takahashi Y, Sasahara Y, Kato S, Adachi S.	Pediatr Blood Cancer	2013	60(9):1513-9.	U13
14	Allogeneic hematopoietic stem cell transplantation for intermediate cytogenetic risk AML in first CR.	Imahashi N, Suzuki R, Fukuda T, Kakihana K, Kanamori H, Eto T, Mori T, Kobayashi N, Iwato K, Sakura T, Ikegame K, Kurokawa M, Kondo T, Iida H, Sakamaki H, Tanaka J, Kawa K, Morishima Y, Atsuta Y, Miyamura K.	Bone Marrow Transplant	2013	48(1):56-62.	U14
15	Feasibility of reduced-intensity conditioning followed by unrelated cord blood transplantation for primary hemophagocytic lymphohistiocytosis: a nationwide retrospective analysis in Japan.	Sawada A, Ohga S, Ishii E, Inoue M, Okada K, Inagaki J, Goto H, Suzuki N, Koike K, Atsuta Y, Suzuki R, Yabe H, Kawa K, Kato K, Yasutomo K.	Int J Hematol	2013	98(2):223-30.	U15
16	移植に必要なAB型の血漿・血小板製剤の需給動向について	永澤雅秀	血液事業	2013	35(4):703-5.	U16

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
17	Association between decreasing trend in the mortality of adult T-cell leukemia/lymphoma and allogeneic hematopoietic stem cell transplants in Japan: analysis of Japanese vital statistics and Japan Society for Hematopoietic Cell Transplantation (JSHCT).	Chihara D, Ito H, Matsuda T, Katanoda K, Shibata A, Taniguchi S, Utsunomiya A, Sobue T, Matsuo K.	Blood Cancer J	2013	3:e159.	U17
18	Granulocyte colony-stimulating factor combined regimen in cord blood transplantation for acute myeloid leukemia: a nationwide retrospective analysis in Japan.	Konuma T, Ooi J, Uchida N, Ogawa H, Ohashi K, Kanamori H, Aotsuka N, Onishi Y, Yamaguchi H, Kozai Y, Nagamura-Inoue T, Kato K, Suzuki R, Atsuta Y, Kato S, Asano S, Takahashi S.	Haematologica	2014	99(12):e264-8.	U18
19	Mycophenolate mofetil use after unrelated hematopoietic stem cell transplantation for prophylaxis and treatment of graft-vs.-host disease in adult patients in Japan.	Iida M, Fukuda T, Uchida N, Murata M, Aotsuka N, Minagawa K, Oohashi K, Fukushima K, Kondo T, Eto T, Miyamoto T, Morishima Y, Nagamura T, Atsuta Y, Suzuki R.	Clin Transplant	2014	28(9):980-9.	U19
20	Allogeneic transplantation for primary myelofibrosis with BM, peripheral blood or umbilical cord blood: an analysis of the JSHCT.	Murata M, Nishida T, Taniguchi S, Ohashi K, Ogawa H, Fukuda T, Mori T, Kobayashi H, Nakaseko C, Yamagata N, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Suzuki R, Naoe T.	Bone Marrow Transplant	2014	49(3):355-60.	U20
21	Hematopoietic stem cell transplantation for inborn errors of metabolism: A report from the Research Committee on Transplantation for Inborn Errors of Metabolism of the Japanese Ministry of Health, Labour and Welfare and the Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Kato S, Yabe H, Takakura H, Mugishima H, Ishige M, Tanaka A, Kato K, Yoshida N, Adachi S, Sakai N, Hashii Y, Ohashi T, Sasahara Y, Suzuki Y, Tabuchi K.	Pediatr Transplant	2016	20(2):203-14.	U21
22	A phase I/II trial of intrabone marrow cord blood transplantation and comparison of the hematological recovery with the Japanese nationwide database.	Kurita N, Gosho M, Yokoyama Y, Kato T, Obara N, Sakata-Yanagimoto M, Hasegawa Y, Uchida N, Takahashi S, Kouzai Y, Atsuta Y, Kurata M, Ichinohe T, Chiba S.	Bone Marrow Transplant	2017	52(4):574-9.	U22
23	Reduced intensity conditioning in allogeneic stem cell transplantation for AML with Down syndrome.	Muramatsu H, Sakaguchi H, Taga T, Tabuchi K, Adachi S, Inoue M, Kitoh T, Suminoe A, Yabe H, Azuma E, Shiota Y, Ogawa A, Kinoshita A, Kigasawa H, Osugi Y, Koike K, Kawa K, Kato K, Atsuta Y, Kudo K.	Pediatr Blood Cancer	2014	61(5):925-7.	WGP 1-1

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
24	Comparison of a fludarabine and melphalan combination-based reduced toxicity conditioning with myeloablative conditioning by radiation and/or busulfan in acute myeloid leukemia in Japanese children and adolescents.	Ishida H, Adachi S, Hasegawa D, Okamoto Y, Goto H, Inagaki J, Inoue M, Koh K, Yabe H, Kawa K, Kato K, Atsuta Y, Kudo K.	<i>Pediatr Blood Cancer</i>	2015	62(5):883-9.	WGP 1-2
25	Comparison of Outcomes for Pediatric Patients With Acute Myeloid Leukemia in Remission and Undergoing Allogeneic Hematopoietic Cell Transplantation With Myeloablative Conditioning Regimens Based on Either Intravenous Busulfan or Total Body Irradiation: A Report From the Japanese Society for Hematopoietic Cell Transplantation.	Ishida H, Kato M, Kudo K, Taga T, Tomizawa D, Miyamura T, Goto H, Inagaki J, Koh K, Terui K, Ogawa A, Kawano Y, Inoue M, Sawada A, Kato K, Atsuta Y, Yamashita T, Adachi S.	<i>Biol Blood Marrow Transplant</i>	2015	21(12):2141-7.	WGP 1-3
26	Role of Second Transplantation for Children With Acute Myeloid Leukemia Following Posttransplantation Relapse.	Taga T, Murakami Y, Tabuchi K, Adachi S, Tomizawa D, Kojima Y, Kato K, Koike K, Koh K, Kajiwara R, Hamamoto K, Yabe H, Kawa K, Atsuta Y, Kudo K.	<i>Pediatr Blood Cancer</i>	2016	63(4):701-5.	WGP 1-4
27	Allogeneic Hematopoietic Stem Cell Transplantation for Adolescents and Young Adults with Acute Myeloid Leukemia.	Tomizawa D, Tanaka S, Kondo T, Hashii Y, Arai Y, Kudo K, Taga T, Fukuda T, Goto H, Inagaki J, Koh K, Ohashi K, Ozawa Y, Inoue M, Kato K, Tanaka J, Atsuta Y, Adachi S, Ishida H.	<i>Biol Blood Marrow Transplant</i>	2017	23(9):1515-22.	WGP 1-5
28	Donor lymphocyte infusion for the treatment of relapsed acute myeloid leukemia after allogeneic hematopoietic stem cell transplantation: a retrospective analysis by the Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Takami A, Yano S, Yokoyama H, Kuwatsuka Y, Yamaguchi T, Kanda Y, Morishima Y, Fukuda T, Miyazaki Y, Nakamae H, Tanaka J, Atsuta Y, Kanamori H.	<i>Biol Blood Marrow Transplant</i>	2014	20(11):1785-90.	WGP 2-1
29	Outcome of allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia patients with central nervous system involvement.	Aoki J, Ishiyama K, Taniguchi S, Fukuda T, Ohashi K, Ogawa H, Kanamori H, Eto T, Iwato K, Sakamaki H, Morishima Y, Nagamura T, Atsuta Y, Takami A.	<i>Biol Blood Marrow Transplant</i>	2014	20(12):2029-33.	WGP 2-2
30	Efficiency of high-dose cytarabine added to CY/TBI in cord blood transplantation for myeloid malignancy.	Arai Y, Takeda J, Aoki K, Kondo T, Takahashi S, Onishi Y, Ozawa Y, Aotsuka N, Kouzai Y, Nakamae H, Ota S, Nakaseko C, Yamaguchi H, Kato K, Atsuta Y, Takami A ; AML and MDS Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Blood</i>	2015	126(3):415-22.	WGP 2-3

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
31	Clinical significance of high-dose cytarabine added to cyclophosphamide/total-body irradiation in bone marrow or peripheral blood stem cell transplantation for myeloid malignancy.	Arai Y, Aoki K, Takeda J, Kondo T, Eto T, Ota S, Hashimoto H, Fukuda T, Ozawa Y, Kanda Y, Kato C, Kurokawa M, Iwato K, Onizuka M, Ichinohe T, Atsuta Y, Takami A ; AML and MDS Working Group of Japan Society for Hematopoietic Cell Transplantation.	<i>J Hematol Oncol</i>	2015	8:102.	WGP 2-4
32	Impact of age on outcomes of allogeneic hematopoietic stem cell transplantation with reduced intensity conditioning in elderly patients with acute myeloid leukemia.	Aoki J, Kanamori H, Tanaka M, Yamasaki S, Fukuda T, Ogawa H, Iwato K, Ohashi K, Okumura H, Onizuka M, Maesako Y, Teshima T, Kobayashi N, Morishima Y, Hirokawa M, Atsuta Y, Yano S, Takami A.	<i>Am J Hematol</i>	2016	91(3):302-7.	WGP 2-5
33	Impact of low-dose TBI on outcomes of reduced intensity conditioning allogeneic hematopoietic stem cell transplantation for AML.	Aoki J, Seo S, Kanamori H, Tanaka M, Fukuda T, Onizuka M, Kobayashi N, Kondo T, Sawa M, Uchida N, Iwato K, Ichinohe T, Atsuta Y, Yano S, Takami A.	<i>Bone Marrow Transplant</i>	2016	51(4):604-6.	WGP 2-6
34	Comparable outcomes between autologous and allogeneic transplant for adult acute myeloid leukemia in first CR.	Mizutani M, Hara M, Fujita H, Aoki J, Kanamori H, Ohashi K, Usuki K, Fukuda T, Chou T, Tanaka J, Atsuta Y, Takami A.	<i>Bone Marrow Transplant</i>	2016	51(5):645-53.	WGP 2-7
35	Outcomes of allogeneic hematopoietic cell transplantation in patients with biphenotypic acute leukemia.	Mori J, Ishiyama K, Yamaguchi T, Tanaka J, Uchida N, Kobayashi T, Fukuda T, Kanamori H, Miyamura K, Takahashi S, Eto T, Hirokawa M, Mori S, Nagamura T, Atsuta Y, Takami A.	<i>Ann Hematol</i>	2016	95(2):295-300.	WGP 2-8
36	Acute megakaryoblastic leukemia, unlike acute erythroid leukemia, predicts an unfavorable outcome after allogeneic HSCT.	Ishiyama K, Yamaguchi T, Eto T, Ohashi K, Uchida N, Kanamori H, Fukuda T, Miyamura K, Inoue Y, Taguchi J, Mori T, Iwato K, Morishima Y, Nagamura-Inoue T, Atsuta Y, Sakamaki H, Takami A.	<i>Leuk Res</i>	2016	47:47-53.	WGP 2-9
37	Role of reduced-intensity conditioning allogeneic hematopoietic cell transplantation in older patients with de novo acute myeloid leukemia.	Yamasaki S, Hirakawa A, Aoki J, Uchida N, Fukuda T, Ogawa H, Ohashi K, Kondo T, Eto T, Kanamori H, Okumura H, Iwato K, Ichinohe T, Kanda J, Onizuka M, Kuwatsuka Y, Yanada M, Atsuta Y, Takami A, Yano S.	<i>Ann Hematol</i>	2017	96(2):289-97.	WGP 2-10
38	Reduced-intensity conditioning allogeneic hematopoietic cell transplantation for younger patients with acute myeloid leukemia: a registry-based study.	Yanada M, Kurosawa S, Kobayashi T, Ozawa Y, Kanamori H, Kobayashi N, Sawa M, Nakamae H, Uchida N, Hashimoto H, Fukuda T, Hirokawa M, Atsuta Y, Yano S.	<i>Bone Marrow Transplant</i>	2017	52(6):818-24.	WGP 2-11

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
39	Allogeneic Hematopoietic Cell Transplantation for Leukemic Transformation Preceded by Philadelphia Chromosome-Negative Myeloproliferative Neoplasms: A Nationwide Survey by the Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Takagi S, Masuoka K, Uchida N, Kurokawa M, Nakamae H, Imada K, Iwato K, Ichinohe T, Atsuta Y, Takami A, Yano S.	<i>Biol Blood Marrow Transplant</i>	2016	22(12):208-13.	WGP 2-12
40	Outcome of allogeneic hematopoietic stem cell transplantation in adult patients with acute myeloid leukemia harboring trisomy 8.	Konuma T, Kondo T, Yamashita T, Uchida N, Fukuda T, Ozawa Y, Ohashi K, Ogawa H, Kato C, Takahashi S, Kanamori H, Eto T, Nakaseko C, Kohno A, Ichinohe T, Atsuta Y, Takami A, Yano S; Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).	<i>Ann Hematol</i>	2017	96(3):469-78.	WGP 2-13
41	Autologous hematopoietic cell transplantation for acute promyelocytic leukemia in second complete remission: outcomes before and after the introduction of arsenic trioxide.	Yanada M, Yano S, Kanamori H, Gotoh M, Emi N, Watakabe K, Kurokawa M, Nishikawa A, Mori T, Tomita N, Murata M, Hashimoto H, Henzan H, Kanda Y, Sawa M, Kohno A, Atsuta Y, Ichinohe T, Takami A.	<i>Leuk Lymphoma</i>	2017	58(5):1061-7.	WGP 2-14
42	Outcomes of Allogeneic Hematopoietic Cell Transplantation in Acute Myeloid Leukemia Patients with Abnormalities of the Short Arm of Chromosome 17.	Mori J, Yanada M, Uchida N, Fukuda T, Sakura T, Hidaka M, Watakabe-Inamoto K, Kanamori H, Ogawa H, Ichinohe T, Tanaka J, Atsuta Y, Yano S.	<i>Biol Blood Marrow Transplant</i>	2017	23(8):1398-404.	WGP 2-15
43	Effect of cytogenetic risk status on outcomes for patients with acute myeloid leukemia undergoing various types of allogeneic hematopoietic cell transplantation: an analysis of 7812 patients.	Yanada M, Mori J, Aoki J, Harada K, Mizuno S, Uchida N, Kurosawa S, Toya T, Kanamori H, Ozawa Y, Ogawa H, Henzan H, Iwato K, Sakura T, Ota S, Fukuda T, Ichinohe T, Atsuta Y, Yano S.	<i>Leuk Lymphoma</i>	2018	59(3):601-9.	WGP 2-16
44	Outcomes after allogeneic hematopoietic stem cell transplantation in patients with acute myeloid leukemia harboring t(7;11)(p15;p15).	Harada K, Doki N, Aoki J, Mori J, Machida S, Masuko M, Uchida N, Najima Y, Fukuda T, Kanamori H, Ogawa H, Ota S, Ogawa K, Takahashi S, Kasai M, Maeda A, Nagafuji K, Kawakita T, Ichinohe T, Atsuta Y.	<i>Haematology</i>	2018	103(2):e69-72.	WGP 2-17
45	Comparison of Autologous and Unrelated Transplants for Cytogenetically Normal Acute Myelogenous Leukemia.	Mizutani M, Takami A, Hara M, Mizuno S, Yanada M, Chou T, Uchiyama H, Ohashi K, Miyamoto T, Ozawa Y, Imataki O, Kobayashi N, Uchida N, Kanamori H, Kamimura T, Eto T, Onizuka M, Tanaka J, Atsuta Y, Yano S.	<i>Biol Blood Marrow Transplant</i>	2017	23(9):1447-54.	WGP 2-18

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
46	Second allogeneic hematopoietic SCT for relapsed ALL in children.	Kato M, Horikoshi Y, Okamoto Y, Takahashi Y, Hasegawa D, Koh K, Takita J, Inoue M, Kigasawa H, Ogawa A, Sasahara Y, Kawa K, Yabe H, Sakamaki H, Suzuki R, Kato K.	<i>Bone Marrow Transplant</i>	2012	47(10):1 307-11.	WGP 3-1
47	Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia.	Kato M, Takahashi Y, Tomizawa D, Okamoto Y, Inagaki J, Koh K, Ogawa A, Okada K, Cho Y, Takita J, Goto H, Sakamaki H, Yabe H, Kawa K, Suzuki R, Kudo K, Kato K.	<i>Biol Blood Marrow Transplant</i>	2013	19(12):1 690-4.	WGP 3-2
48	Comparison of transplantation with reduced and myeloablative conditioning for children with acute lymphoblastic leukemia.	Kato K, Kato M, Hasegawa D, Kawasaki H, Ishida H, Okamoto Y, Koh K, Inoue M, Inagaki J, Kato K, Sakamaki H, Yabe H, Kawa K, Suzuki R, Atsuta Y.	<i>Blood</i>	2015	125(8):1 352-4.	WGP 3-3
49	Hematopoietic stem cell transplantation for patients with acute lymphoblastic leukemia and Down syndrome.	Goto H, Kaneko T, Shiota Y, Kajiwara M, Sakashita K, Kitoh T, Hayakawa A, Miki M, Kato K, Ogawa A, Hashii Y, Inukai T, Kato C, Sakamaki H, Yabe H, Suzuki R, Kato K.	<i>Pediatr Blood Cancer</i>	2015	62(1):14 8-52.	WGP 3-4
50	Allogeneic haematopoietic stem cell transplantation for infant acute lymphoblastic leukaemia with KMT2A (MLL) rearrangements: a retrospective study from the paediatric acute lymphoblastic leukaemia working group of the Japan Society for Haematopoietic Cell Transplantation.	Kato M, Hasegawa D, Koh K, Kato K, Takita J, Inagaki J, Yabe H, Goto H, Adachi S, Hayakawa A, Takeshita Y, Sawada A, Atsuta Y, Kato K.	<i>Br J Haematol</i>	2015	168(4):5 64-70.	WGP 3-5
51	Comparison of chemotherapeutic agents as a myeloablative conditioning with total body irradiation for pediatric acute lymphoblastic leukemia: A study from the pediatric ALL working group of the Japan Society for Hematopoietic Cell Transplantation.	Kato M, Ishida H, Koh K, Inagaki J, Kato K, Goto H, Kaneko T, Cho Y, Hashii Y, Kurosawa H, Takita J, Hamamoto K, Inoue M, Sawada A, Suzuki R, Kato K.	<i>Pediatr Blood Cancer</i>	2015	62(10):1 844-50.	WGP 3-6
52	Reduced-intensity allogeneic stem cell transplantation for patients aged 50 years or older with B-cell ALL in remission: a retrospective study by the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Kanamori H, Mizuta S, Kako S, Kato H, Nishiwaki S, Imai K, Shigematsu A, Nakamae H, Tanaka M, Ikegame K, Yujiri T, Fukuda T, Minagawa K, Eto T, Nagamura-Inoue T, Morishima Y, Suzuki R, Sakamaki H, Tanaka J.	<i>Bone Marrow Transplant</i>	2013	48(12):1 513-8.	WGP 4-1

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
53	Impact of a donor source on adult Philadelphia chromosome-negative acute lymphoblastic leukemia: a retrospective analysis from the Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Nishiwaki S, Miyamura K, Ohashi K, Kurokawa M, Taniguchi S, Fukuda T, Ikegame K, Takahashi S, Mori T, Imai K, Iida H, Hidaka M, Sakamaki H, Morishima Y, Kato K, Suzuki R, Tanaka J; Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Ann Oncol</i>	2013	24(6):1594-602.	WGP 4-2
54	Reduced-intensity vs myeloablative conditioning allogeneic hematopoietic SCT for patients aged over 45 years with ALL in remission: a study from the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).	Tanaka J, Kanamori H, Nishiwaki S, Ohashi K, Taniguchi S, Eto T, Nakamae H, Minagawa K, Miyamura K, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishimoto N, Oba K, Masauzi N.	<i>Bone Marrow Transplant</i>	2013	48(11):1389-94.	WGP 4-3
55	Analysis of outcomes following autologous stem-cell transplantation in adult patients with Philadelphia chromosome-negative acute lymphoblastic leukemia during the first complete remission.	Kato H, Kawase T, Kako S, Mizuta S, Kurokawa M, Mori T, Ohashi K, Iwato K, Miyamura K, Hidaka M, Sakamaki H, Suzuki R, Morishima Y, Tanaka J.; Adult Acute Lymphoblastic Leukemia Working Group of Japan Society for Hematopoietic Cell Transplantation (JSHCT).	<i>Haematologica</i>	2014	99(11):e228-30.	WGP 4-4
56	Pretransplant administration of imatinib for allo-HSCT in patients with BCR-ABL-positive acute lymphoblastic leukemia.	Mizuta S, Matsuo K, Nishiwaki S, Imai K, Kanamori H, Ohashi K, Fukuda T, Onishi Y, Miyamura K, Takahashi S, Onizuka M, Atsuta Y, Suzuki R, Morishima Y, Kato K, Sakamaki H, Tanaka J.	<i>Blood</i>	2014	123(15):2325-32.	WGP 4-5
57	Impact of MRD and TKI on allogeneic hematopoietic cell transplantation for Ph+ALL: a study from the adult ALL WG of the JSHCT.	Nishiwaki S, Imai K, Mizuta S, Kanamori H, Ohashi K, Fukuda T, Onishi Y, Takahashi S, Uchida N, Eto T, Nakamae H, Yujiri T, Mori S, Nagamura-Inoue T, Suzuki R, Atsuta Y, Tanaka J.	<i>Bone Marrow Transplant</i>	2016	51(1):43-50.	WGP 4-6
58	Comparison of Cyclophosphamide Combined with Total Body Irradiation, Oral Busulfan, or Intravenous Busulfan for Allogeneic Hematopoietic Cell Transplantation in Adults with Acute Lymphoblastic Leukemia.	Mitsuhashi K, Kako S, Shigematsu A, Atsuta Y, Doki N, Fukuda T, Kanamori H, Onizuka M, Takahashi S, Ozawa Y, Kurokawa M, Inoue Y, Nagamura-Inoue T, Morishima Y, Mizuta S, Tanaka J; Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(12):194-200.	WGP 4-7
59	High-dose cytarabine added to CY/TBI improves the prognosis of cord blood transplantation for acute lymphoblastic leukemia in adults: a retrospective cohort study.	Arai Y, Kondo T, Shigematsu A, Tanaka J, Takahashi S, Kobayashi T, Uchida N, Onishi Y, Ishikawa J, Kanamori H, Sawa M, Yokota A, Kouzai Y, Takanashi M, Ichinohe T, Atsuta Y, Mizuta S.	<i>Bone Marrow Transplant</i>	2016	51(12):1636-9.	WGP 4-8

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
60	Increased non-relapse mortality due to high-dose cytarabine plus CY/TBI in BMT/PBSCT for acute lymphoblastic leukaemia in adults.	Arai Y, Kondo T, Shigematsu A, Tanaka J, Ohashi K, Fukuda T, Kawakita T, Mori T, Hoshino T, Onizuka M, Ozawa Y, Yoshida S, Ueda Y, Mizuno I, Atsuta Y, Mizuta S; Japan Society for Haematopoietic Cell Transplantation.	<i>Br J Haematol</i>	2017	178(1):1 06-11.	WGP 4-9
61	Allogeneic stem cell transplantation for adult patients with acute lymphoblastic leukemia who had central nervous system involvement: a study from the Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Shigematsu A, Kako S, Mitsuhashi K, Iwato K, Uchida N, Kanda Y, Fukuda T, Sawa M, Senoo Y, Ogawa H, Miyamura K, Takada S, Nagamura-Inoue T, Morishima Y, Ichinohe T, Atsuta Y, Mizuta S, Tanaka J.	<i>Int J Hematol</i>	2017	105(6):8 05-11.	WGP 4-10
62	Improved prognosis with additional medium-dose VP16 to CY/TBI in allogeneic transplantation for high risk ALL in adults.	Arai Y, Kondo T, Shigematsu A, Tanaka J, Ohashi K, Fukuda T, Hidaka M, Kobayashi N, Iwato K, Sakura T, Onizuka M, Ozawa Y, Eto T, Kurokawa M, Kahata K, Uchida N, Atsuta Y, Mizuta S, Kako S.	<i>Am J Hematol</i>	2018	93(1):47 -57.	WGP 4-11
63	Effect of graft sources on allogeneic hematopoietic stem cell transplantation outcome in adults with chronic myeloid leukemia in the era of tyrosine kinase inhibitors: a Japanese Society of Hematopoietic Cell Transplantation retrospective analysis.	Ohashi K, Nagamura-Inoue T, Nagamura F, Tojo A, Miyamura K, Mori T, Kurokawa M, Taniguchi S, Ishikawa J, Morishima Y, Atsuta Y, Sakamaki H.	<i>Int J Hematol</i>	2014	100(3):2 96-306.	WGP 6-1
64	Clinical impact of pretransplant use of multiple tyrosine kinase inhibitors on the outcome of allogeneic hematopoietic stem cell transplantation for chronic myelogenous leukemia.	Kondo T, Nagamura-Inoue T, Tojo A, Nagamura F, Uchida N, Nakamae H, Fukuda T, Mori T, Yano S, Kurokawa M, Ueno H, Kanamori H, Hashimoto H, Onizuka M, Takanashi M, Ichinohe T, Atsuta Y, Ohashi K.	<i>Am J Hematol</i>	2017	92(9):90 2-8.	WGP 6-2
65	Salvage allogeneic stem cell transplantation in patients with pediatric myelodysplastic syndrome and myeloproliferative neoplasms.	Kato M, Yoshida N, Inagaki J, Maeba H, Kudo K, Cho Y, Kurosawa H, Okimoto Y, Tauchi H, Yabe H, Sawada A, Kato K, Atsuta Y, Watanabe K.	<i>Pediatr Blood Cancer</i>	2014	61(10):1 860-6.	WGP 7-1
66	Allogeneic haematopoietic cell transplantation with reduced-intensity conditioning for elderly patients with advanced myelodysplastic syndromes: a nationwide study.	Aoki K, Ishikawa T, Ishiyama K, Aoki J, Itonaga H, Fukuda T, Kakihana K, Uchida N, Ueda Y, Eto T, Mori T, Kondo T, Iwato K, Morishima Y, Tanaka J, Atsuta Y, Miyazaki Y; Adult Myelodysplastic Syndromes Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).	<i>Br J Haematol</i>	2015	168(3):4 63-6.	WGP 8-1

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
67	Effect of Granulocyte Colony-Stimulating Factor-Combined Conditioning in Cord Blood Transplantation for Myelodysplastic Syndrome and Secondary Acute Myeloid Leukemia: A Retrospective Study in Japan.	Konuma T, Takahashi S, Uchida N, Kuwatsuka Y, Yamasaki S, Aoki J, Onishi Y, Aotsuka N, Ohashi K, Mori T, Masuko M, Nakamae H, Miyamura K, Kato K, Atsuta Y, Kato S, Asano S, Takami A, Miyazaki Y; Adult Myelodysplastic Syndrome and Adult Acute Myeloid Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2015	21(9):1632-40.	WGP 8-2
68	Impacts of graft-versus-host disease on outcomes after allogeneic hematopoietic stem cell transplantation for chronic myelomonocytic leukemia: A nationwide retrospective study.	Itonaga H, Iwanaga M, Aoki K, Aoki J, Ishiyama K, Ishikawa T, Sakura T, Fukuda T, Najima Y, Yujiri T, Mori T, Kurokawa M, Nawa Y, Uchida N, Morishita Y, Hashimoto H, Eto T, Hirokawa M, Morishima Y, Nagamura-Inoue T, Atsuta Y, Miyazaki Y.	<i>Leuk Res</i>	2016	41:48-55.	WGP 8-3
69	Outcomes of Allogeneic Hematopoietic Stem Cell Transplantation in Adult Patients with Myelodysplastic Syndrome Harboring Trisomy 8.	Konuma T, Miyazaki Y, Uchida N, Ohashi K, Kondo T, Nakamae H, Takahashi S, Mori T, Ozawa Y, Kato C, Iwato K, Fukuda T, Ichinohe T, Atsuta Y, Ishiyama K; Adult Myelodysplastic Syndrome Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2017	23(1):75-80.	WGP 8-4
70	Prognostic Impact of Donor Source on Allogeneic Hematopoietic Stem Cell Transplantation Outcomes in Adults with Chronic Myelomonocytic Leukemia: A Nationwide Retrospective Analysis in Japan.	Itonaga H, Aoki K, Aoki J, Ishikawa T, Ishiyama K, Uchida N, Sakura T, Ohashi K, Kurokawa M, Ozawa Y, Matsuoka KI, Nakamura Y, Kimura F, Iwato K, Nawa Y, Hirokawa M, Kato K, Ichinohe T, Atsuta Y, Miyazaki Y.	<i>Biol Blood Marrow Transplant</i>		in press	WGP 8-5
71	Stem cell transplantation for paediatric patients with non-anaplastic peripheral T-cell lymphoma in Japan.	Kobayashi R, Fujita N, Mitsui T, Iwasaki F, Suzumiya J, Kuroda H, Nishimura R, Sasahara Y, Takeshita Y, Kato K, Okumura H, Sakamaki H, Yabe H, Kawa K, Kato K, Suzuki R.	<i>Br J Haematol</i>	2012	159(1):88-93.	WGP 9-1
72	Haematopoietic stem cell transplantation for relapsed or refractory anaplastic large cell lymphoma: a study of children and adolescents in Japan.	Fukano R, Mori T, Kobayashi R, Mitsui T, Fujita N, Iwasaki F, Suzumiya J, Chin M, Goto H, Takahashi Y, Hara J, Park YD, Inoue M, Koga Y, Inagaki J, Sakamaki H, Adachi S, Kawa K, Kato K, Suzuki R.	<i>Br J Haematol</i>	2015	168(4):557-63.	WGP 9-2

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
73	Outcome differences between children and adolescents and young adults with non-Hodgkin lymphoma following stem cell transplantation.	Kobayashi R, Mitsui T, Fujita N, Osumi T, Aoki T, Aoki K, Suzuki R, Fukuda T, Miyamoto T, Kato K, Nakamae H, Goto H, Eto T, Inoue M, Mori T, Terui K, Onizuka M, Koh K, Koga Y, Ichinohe T, Sawada A, Atsuta Y, Suzumiya J.	<i>Int J Hematol</i>	2017	105(3):369-76.	WGP 9-3
74	High-dose chemotherapy with autologous stem cell transplantation for elderly patients with relapsed/refractory diffuse large B cell lymphoma: a nationwide retrospective study.	Chihara D, Izutsu K, Kondo E, Sakai R, Mizuta S, Yokoyama K, Kaneko H, Kato K, Hasegawa Y, Chou T, Sugahara H, Henzan H, Sakamaki H, Suzuki R, Suzumiya J.	<i>Biol Blood Marrow Transplant</i>	2014	20(5):684-9.	WGP 10-1
75	The role of hematopoietic stem cell transplantation for relapsed and refractory Hodgkin lymphoma.	Kako S, Izutsu K, Kato K, Kim SW, Mori T, Fukuda T, Kobayashi N, Taji H, Hashimoto H, Kondo T, Sakamaki H, Morishima Y, Kato K, Suzuki R, Suzumiya J; Adult Lymphoma Working Group of the Japanese Society for Hematopoietic Cell Transplantation.	<i>Am J Hematol</i>	2015	90(2):132-8.	WGP 10-2
76	Long-term survival following autologous and allogeneic stem cell transplantation for blastic plasmacytoid dendritic cell neoplasm.	Aoki T, Suzuki R, Kuwatsuka Y, Kako S, Fujimoto K, Taguchi J, Kondo T, Ohata K, Ito T, Kamoda Y, Fukuda T, Ichinohe T, Takeuchi K, Izutsu K, Suzumiya J.	<i>Blood</i>	2015	125(23):3559-62.	WGP 10-3
77	Long-term outcome of childhood aplastic anemia patients who underwent allogeneic hematopoietic SCT from an HLA-matched sibling donor in Japan.	Kikuchi A, Yabe H, Kato K, Koh K, Inagaki J, Sasahara Y, Suzuki R, Yoshida N, Kudo K, Kobayashi R, Tabuchi K, Kawa K, Kojima S.	<i>Bone Marrow Transplant</i>	2013	48(5):657-60.	WGP 11-1
78	First-line treatment for severe aplastic anemia in children: bone marrow transplantation from a matched family donor versus immunosuppressive therapy.	Yoshida N, Kobayashi R, Yabe H, Kosaka Y, Yagasaki H, Watanabe K, Kudo K, Morimoto A, Ohga S, Muramatsu H, Takahashi Y, Kato K, Suzuki R, Ohara A, Kojima S.	<i>Haematology</i>	2014	99(12):1784-91.	WGP 11-2
79	Bloodstream infection after stem cell transplantation in children with idiopathic aplastic anemia.	Kobayashi R, Yabe H, Kikuchi A, Kudo K, Yoshida N, Watanabe K, Muramatsu H, Takahashi Y, Inoue M, Koh K, Inagaki J, Okamoto Y, Sakamaki H, Kawa K, Kato K, Suzuki R, Kojima S.	<i>Biol Blood Marrow Transplant</i>	2014	20(8):1145-9.	WGP 11-3
80	Second allogeneic hematopoietic stem cell transplantation in children with severe aplastic anemia.	Kudo K, Muramatsu H, Yoshida N, Kobayashi R, Yabe H, Tabuchi K, Kato K, Koh K, Takahashi Y, Hashii Y, Kawano Y, Inoue M, Cho Y, Sakamaki H, Kawa K, Kato K, Suzuki R, Kojima S.	<i>Bone Marrow Transplant</i>	2015	50(10):1312-5.	WGP 11-4

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
81	Unrelated cord blood transplantation in aplastic anemia: is antithymocyte globulin indispensable for conditioning?	Kudo K, Muramatsu H, Narita A, Yoshida N, Kobayashi R, Yabe H, Endo M, Inoue M, Hara J, Kounami S, Inagaki J, Hashii Y, Kato K, Tabuchi K, Kojima S.	<i>Bone Marrow Transplant</i>	2017	52(12):1 659-61.	WGP 11-5
82	Impact of cyclophosphamide dose of conditioning on the outcome of allogeneic hematopoietic stem cell transplantation for aplastic anemia from human leukocyte antigen-identical sibling.	Mori T, Koh H, Onishi Y, Kako S, Onizuka M, Kanamori H, Ozawa Y, Kato C, Iida H, Suzuki R, Ichinohe T, Kanda Y, Maeda T, Nakao S, Yamazaki H.	<i>Int J Hematol</i>	2016	103(4):4 61-8.	WGP 12-1
83	Outcome of Second Transplantation Using Umbilical Cord Blood for Graft Failure after Allogeneic Hematopoietic Stem Cell Transplantation for Aplastic Anemia.	Onishi Y, Mori T, Kako S, Koh H, Uchida N, Kondo T, Kobayashi T, Yabe H, Miyamoto T, Kato K, Suzuki R, Nakao S, Yamazaki H; Adult Aplastic Anemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2017	23(12):2 137-42.	WGP 12-2
84	Allogeneic hematopoietic stem cell transplantation for adult T-cell leukemia-lymphoma with special emphasis on preconditioning regimen: a nationwide retrospective study.	Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Taniguchi S, Eto T, Takatsuka Y, Miyazaki Y, Moriuchi Y, Hidaka M, Akashi K, Uike N, Sakamaki H, Morishima Y, Kato K, Suzuki R, Nishiyama T, Utsunomiya A.	<i>Blood</i>	2012	120(8):1 734-41.	WGP 13-1
85	Impact of graft-versus-host disease on allogeneic hematopoietic cell transplantation for adult T cell leukemia-lymphoma focusing on preconditioning regimens: nationwide retrospective study.	Ishida T, Hishizawa M, Kato K, Tanosaki R, Fukuda T, Takatsuka Y, Eto T, Miyazaki Y, Hidaka M, Uike N, Miyamoto T, Tsudo M, Sakamaki H, Morishima Y, Suzuki R, Utsunomiya A.	<i>Biol Blood Marrow Transplant</i>	2013	19(12):1 731-9.	WGP 13-2
86	Treatment of patients with adult T cell leukemia/lymphoma with cord blood transplantation: a Japanese nationwide retrospective survey.	Kato K, Choi I, Wake A, Uike N, Taniguchi S, Moriuchi Y, Miyazaki Y, Nakamae H, Oku E, Murata M, Eto T, Akashi K, Sakamaki H, Kato K, Suzuki R, Yamanaka T, Utsunomiya A.	<i>Biol Blood Marrow Transplant</i>	2014	20(12):1 968-74.	WGP 13-3
87	Early application of related SCT might improve clinical outcome in adult T-cell leukemia/lymphoma.	Fuji S, Fujiwara H, Nakano N, Wake A, Inoue Y, Fukuda T, Hidaka M, Moriuchi Y, Miyamoto T, Uike N, Taguchi J, Eto T, Tomoyose T, Kondo T, Yamanoha A, Ichinohe T, Atsuta Y, Utsunomiya A; ATL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Bone Marrow Transplant</i>	2016	51(2):20 5-11.	WGP 13-4

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
88	Dismal outcome of allogeneic hematopoietic stem cell transplantation for relapsed adult T-cell leukemia/lymphoma, a Japanese nation-wide study.	Fujiwara H, Fuji S, Wake A, Kato K, Takatsuka Y, Fukuda T, Taguchi J, Uchida N, Miyamoto T, Hidaka M, Miyazaki Y, Tomoyose T, Onizuka M, Takanashi M, Ichinohe T, Atsuta Y, Utsunomiya A; ATL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Bone Marrow Transplant</i>	2017	52(3):484-8.	WGP 13-5
89	Risk Assessment in Adult T Cell Leukemia/Lymphoma Treated with Allogeneic Hematopoietic Stem Cell Transplantation.	Yoshimitsu M, Tanosaki R, Kato K, Ishida T, Choi I, Takatsuka Y, Fukuda T, Eto T, Hidaka M, Uchida N, Miyamoto T, Nakashima Y, Moriuchi Y, Nagafuji K, Miyazaki Y, Ichinohe T, Takanashi M, Atsuta Y, Utsunomiya A; ATL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>		in press	WGP 13-6
90	Changing trends in prognostic factors for patients with multiple myeloma after autologous stem cell transplantation during the immunomodulator drug/proteasome inhibitor era.	Takamatsu H, Honda S, Miyamoto T, Yokoyama K, Hagiwara S, Ito T, Tomita N, Iida S, Iwasaki T, Sakamaki H, Suzuki R, Sunami K.	<i>Cancer Sci</i>	2015	106(2):179-85.	WGP 14-1
91	Cord Blood Transplantation for Multiple Myeloma: A Study from the Multiple Myeloma Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Kawamura K, Takamatsu H, Ikeda T, Komatsu T, Aotsuka N, Amano I, Yamamoto G, Watanabe K, Ohno Y, Matsue K, Kouzai Y, Tsukada N, Ishiyama K, Anzai N, Kato K, Suzuki R, Sunami K, Kanda Y.	<i>Biol Blood Marrow Transplant</i>	2015	21(7):1291-8.	WGP 14-2
92	Tandem autologous versus autologous/allogeneic transplantation for multiple myeloma: propensity score analysis.	Kawamura K, Ikeda T, Hagiwara S, Mori T, Shinagawa A, Nishiwaki K, Ohashi K, Kubonishi S, Fukuda T, Ito T, Tomita N, Ichinohe T, Kato K, Morishima Y, Atsuta Y, Sunami K, Kanda Y.	<i>Leuk Lymphoma</i>	2016	57(9):2077-83.	WGP 14-3
93	Comparison of second transplantation and donor lymphocyte infusion for donor mixed chimerism after allogeneic stem cell transplantation for nonmalignant diseases.	Umeda K, Adachi S, Tanaka S, Miki M, Okada K, Hashii Y, Inoue M, Cho Y, Koh K, Goto H, Kajiwara R, Hyakuna N, Kato K, Morio T, Yabe H; Inherited Disease Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Pediatr Blood Cancer</i>	2016	63(12):2221-9.	WGP 16-1
94	Allogeneic Hematopoietic Stem Cell Transplantation for Leukocyte Adhesion Deficiency.	Horikoshi Y, Umeda K, Imai K, Yabe H, Sasahara Y, Watanabe K, Ozawa Y, Hashii Y, Kurosawa H, Nonoyama S, Morio T.	<i>J Pediatr Hematol Oncol</i>		in press	WGP 16-2

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
95	Impact of a single human leucocyte antigen (HLA) allele mismatch on the outcome of unrelated bone marrow transplantation over two time periods. A retrospective analysis of 3003 patients from the HLA Working Group of the Japan Society for Blood and Marrow Transplantation.	Kanda Y, Kanda J, Atsuta Y, Maeda Y, Ichinohe T, Ohashi K, Fukuda T, Miyamura K, Iida H, Mori T, Iwato K, Eto T, Kawa K, Morita S, Morishima Y.	<i>Br J Haematol</i>	2013	161(4):566-77.	WGP 17-1
96	Effects of KIR ligand incompatibility on clinical outcomes of umbilical cord blood transplantation without ATG for acute leukemia in complete remission.	Tanaka J, Morishima Y, Takahashi Y, Yabe T, Oba K, Takahashi S, Taniguchi S, Ogawa H, Onishi Y, Miyamura K, Kanamori H, Aotsuka N, Kato K, Kato S, Atsuta Y, Kanda Y.	<i>Blood Cancer J</i>	2013	3:e164.	WGP 17-2
97	Different effects of HLA disparity on transplant outcomes after single-unit cord blood transplantation between pediatric and adult patients with leukemia.	Atsuta Y, Kanda J, Takanashi M, Morishima Y, Taniguchi S, Takahashi S, Ogawa H, Ohashi K, Ohno Y, Onishi Y, Aotsuka N, Nagamura-Inoue T, Kato K, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Haematologica</i>	2013	98(5):814-22.	WGP 17-3
98	Impact of the direction of HLA mismatch on transplantation outcomes in single unrelated cord blood transplantation.	Kanda J, Atsuta Y, Wake A, Ichinohe T, Takanashi M, Morishima Y, Taniguchi S, Takahashi S, Ogawa H, Ohashi K, Ohno Y, Aotsuka N, Onishi Y, Kato K, Nagamura-Inoue T, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2013	19(2):247-54.	WGP 17-4
99	Changes in the clinical impact of high-risk human leukocyte antigen allele mismatch combinations on the outcome of unrelated bone marrow transplantation.	Kanda Y, Kanda J, Atsuta Y, Fuji S, Maeda Y, Ichinohe T, Takanashi M, Ohashi K, Fukuda T, Miyamura K, Mori T, Sao H, Kobayashi N, Iwato K, Sawada A, Mori S; HLA working group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2014	20(4):526-35.	WGP 17-5
100	Decision analysis for donor selection in stem cell transplantation-HLA-8/8 allele-matched unrelated donor vs HLA-1 AG mismatched related donor.	Kanda J, Fuji S, Kato S, Takami A, Tanaka J, Miyamura K, Ohashi K, Fukuda T, Ozawa Y, Kanamori H, Eto T, Kobayashi N, Iwato K, Morishima Y, Sakamaki H, Atsuta Y, Kanda Y; HLA Working Group; Donor/Source Working Group; Adult AML Working Group; Adult ALL Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Blood Cancer J</i>	2014	4:e263.	WGP 17-6

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
101	Impact of HLA allele mismatch on the clinical outcome in serologically matched related hematopoietic SCT.	Fuji S, Kanda J, Kato S, Ikegami K, Morishima S, Miyamoto T, Hidaka M, Kubo K, Miyamura K, Ohashi K, Kobayashi H, Maesako Y, Adachi S, Ichinohe T, Atsuta Y, Kanda Y; HLA Working Group of Japan Society for Hematopoietic Cell Transplantation.	<i>Bone Marrow Transplant</i>	2014	49(9):1187-92.	WGP 17-7
102	Impact of HLA mismatch direction on the outcome of unrelated bone marrow transplantation: a retrospective analysis from the Japan Society for Hematopoietic Cell Transplantation.	Kanda J, Ichinohe T, Fuji S, Maeda Y, Ohashi K, Fukuda T, Miyamura K, Iwato K, Eto T, Nakamae H, Kobayashi N, Mori T, Mori S, Morishima Y, Atsuta Y, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2015	21(2):305-11.	WGP 17-8
103	A single high-resolution HLA mismatch has a similar adverse impact on the outcome of related hematopoietic stem cell transplantation as a single low-resolution HLA mismatch.	Fuji S, Kanda J, Kato S, Ikegami K, Morishima S, Miyamoto T, Hidaka M, Kubo K, Miyamura K, Tsudo M, Kobayashi H, Maesako Y, Eto T, Adachi S, Ichinohe T, Atsuta Y, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Am J Hematol</i>	2015	90(7):618-23.	WGP 17-9
104	Unrelated bone marrow transplantation or immediate umbilical cord blood transplantation for patients with acute myeloid leukemia in first complete remission.	Yanada M, Kanda J, Ohtake S, Fukuda T, Sakamaki H, Miyamura K, Miyawaki S, Uchida N, Maeda T, Nagamura-Inoue T, Asou N, Morishima Y, Atsuta Y, Miyazaki Y, Kimura F, Kobayashi Y, Takami A, Naoe T, Kanda Y.	<i>Eur J Haematol</i>	2016	97(3):278-87.	WGP 17-10
105	Influence of Differently Licensed KIR2DL1-Positive Natural Killer Cells in Transplant Recipients with Acute Leukemia: A Japanese National Registry Study.	Arima N, Nakamura F, Yabe T, Tanaka J, Fuji S, Ohashi K, Fukuda T, Miyamura K, Iwato K, Eto T, Mori T, Kobayashi N, Hoshino T, Kato C, Kanamori H, Nakamae H, Atsuta Y, Morishima Y, Kanda Y.	<i>Biol Blood Marrow Transplant</i>	2016	22(3):423-31.	WGP 17-11
106	Haploidentical and Matched Sibling Donor Hematopoietic Cell Transplantation for Patients with HLA-Homozygous Haplotypes.	Kanda J, Ikegami K, Fuji S, Kurokawa M, Kanamori H, Fukuda T, Ohashi K, Ishikawa J, Ogawa H, Inoue M, Ichinohe T, Atsuta Y, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(11):2031-7.	WGP 17-12
107	Impact of Human Leukocyte Antigen Allele Mismatch in Unrelated Bone Marrow Transplantation with Reduced-Intensity Conditioning Regimen.	Yokoyama H, Kanda J, Fuji S, Kim SW, Fukuda T, Najima Y, Ohno H, Uchida N, Ueda Y, Eto T, Iwato K, Kobayashi H, Ozawa Y, Kondo T, Ichinohe T, Atsuta Y, Kanda Y; HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2017	23(2):300-9.	WGP 17-13

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
108	Impact of the presence of HLA 1-locus mismatch and the use of low-dose antithymocyte globulin in unrelated bone marrow transplantation.	Kawamura K, Kanda J, Fuji S, Murata M, Ikegami K, Yoshioka K, Fukuda T, Ozawa Y, Uchida N, Iwato K, Sakura T, Hidaka M, Hashimoto H, Ichinohe T, Atsuta Y, Kanda Y.	<i>Bone Marrow Transplant</i>	2017	52(10):1390-8.	WGP 17-14
109	Homozygous HLA-C1 is Associated with Reduced Risk of Relapse after HLA-Matched Transplantation in Patients with Myeloid Leukemia.	Arima N, Kanda J, Tanaka J, Yabe T, Morishima Y, Kim SW, Najima Y, Ozawa Y, Eto T, Kanamori H, Mori T, Kobayashi N, Kondo T, Nakamae H, Uchida N, Inoue M, Fukuda T, Ichinohe T, Atsuta Y, Kanda Y.	<i>Biol Blood Marrow Transplant</i>		in press	WGP 17-15
110	Unrelated cord blood transplantation vs related transplantation with HLA 1-antigen mismatch in the graft-versus-host direction.	Kanda J, Ichinohe T, Kato S, Uchida N, Terakura S, Fukuda T, Hidaka M, Ueda Y, Kondo T, Taniguchi S, Takahashi S, Nagamura-Inoue T, Tanaka J, Atsuta Y, Miyamura K, Kanda Y; Donor/Source Working Group and HLA Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Leukemia</i>	2013	27(2):286-94.	WGP 18-1
111	Graft-versus-host disease and survival after cord blood transplantation for acute leukemia: a comparison of Japanese versus White populations.	Kuwatsuka Y, Atsuta Y, Horowitz MM, Inagaki J, Kanda J, Kato K, Koh K, Zhang MJ, Eapen M; Center for International Blood and Marrow Transplant Research (CIBMTR), and Donor/Source and GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation (JSHCT).	<i>Biol Blood Marrow Transplant</i>	2014	20(5):662-7.	WGP 18-2
112	Comparison of cord blood transplantation with unrelated bone marrow transplantation in patients older than fifty years.	Tanaka M, Miyamura K, Terakura S, Imai K, Uchida N, Ago H, Sakura T, Eto T, Ohashi K, Fukuda T, Taniguchi S, Mori S, Nagamura-Inoue T, Atsuta Y, Okamoto S.	<i>Biol Blood Marrow Transplant</i>	2015	21(3):517-25.	WGP 18-3
113	Comparison of Outcomes of 8/8 and 7/8 Allele-Matched Unrelated Bone Marrow Transplantation and Single-Unit Cord Blood Transplantation in Adults with Acute Leukemia.	Terakura S, Atsuta Y, Tsukada N, Kobayashi T, Tanaka M, Kanda J, Najima Y, Fukuda T, Uchida N, Takahashi S, Nagamura-Inoue T, Morishima Y, Miyamura K; Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(2):330-8.	WGP 18-4
114	Comparing Outcomes with Bone Marrow or Peripheral Blood Stem Cells as Graft Source for Matched Sibling Transplants in Severe Aplastic Anemia across Different Economic Regions.	Kumar R, Kimura F, Ahn KW, Hu ZH, Kuwatsuka Y, Klein JP, Pasquini M, Miyamura K, Kato K, Yoshimi A, Inamoto Y, Ichinohe T, Wood WA Jr, Wirk B, Seftel M, Rowlings P, Marks DI, Schultz KR, Gupta V, Dedeken L, George B, Cahn JY, Szer J, Lee JW, Ho AY, Fasth A, Hahn T, Khera N, Dalal J, Bonfim C, Aljurf M, Atsuta Y, Saber W.	<i>Biol Blood Marrow Transplant</i>	2016	22(5):932-40.	WGP 18-5

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
115	Graft-versus-Host Disease after HLA-Matched Sibling Bone Marrow or Peripheral Blood Stem Cell Transplantation: Comparison of North American Caucasian and Japanese Populations.	Kanda J, Brazauskas R, Hu ZH, Kuwatsuka Y, Nagafuji K, Kanamori H, Kanda YI, Miyamura K, Murata M, Fukuda T, Sakamaki H, Kimura F, Seo S, Aljurf M, Yoshimi A, Milone G, Wood WA, Ustun C, Hashimi S, Pasquini M, Bonfim C, Dalal J, Hahn T, Atsuta Y, Saber W.	<i>Biol Blood Marrow Transplant</i>	2016	22(4):74-51.	WGP 18-6
116	Comparison of Donor Sources in Hematopoietic Stem Cell Transplantation for Childhood Acute Leukemia: A Nationwide Retrospective Study.	Sakaguchi H, Watanabe N, Matsumoto K, Yabe H, Kato S, Ogawa A, Inagaki J, Goto H, Koh K, Yoshida N, Kato K, Cho Y, Kosaka Y, Takahashi Y, Inoue M, Kato K, Atsuta Y, Miyamura K; Donor/Source Working Group of Japan Society of Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(12):226-34.	WGP 18-7
117	A Comparison of Outcomes for Cord Blood Transplantation and Unrelated Bone Marrow Transplantation in Adult Aplastic Anemia.	Kuwatsuka Y, Kanda J, Yamazaki H, Mori T, Miyamura K, Kako S, Uchida N, Ohashi K, Ozawa Y, Takahashi Y, Kato C, Iwato K, Ishiyama K, Kobayashi H, Eto T, Kahata K, Kato J4, Miyamoto T, Kato K, Mori S, Atsuta Y, Kimura F, Kanda Y; Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(10):1836-43.	WGP 18-8
118	Comparison of transplant outcomes from matched sibling bone marrow or peripheral blood stem cell and unrelated cord blood in patients 50 years or older.	Konuma T, Tsukada N, Kanda J, Uchida N, Ohno Y, Miyakoshi S, Kanamori H, Hidaka M, Sakura T, Onizuka M, Kobayashi N, Sawa M, Eto T, Matsuhashi Y, Kato K, Ichinohe T, Atsuta Y, Miyamura K; Donor/Source Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Am J Hematol</i>	2016	91(5):E284-92.	WGP 18-9
119	Clinical factors predicting the response of acute graft-versus-host disease to corticosteroid therapy: an analysis from the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Murata M, Nakasone H, Kanda J, Nakane T, Furukawa T, Fukuda T, Mori T, Taniguchi S, Eto T, Ohashi K, Hino M, Inoue M, Ogawa H, Atsuta Y, Nagamura-Inoue T, Yabe H, Morishima Y, Sakamaki H, Suzuki R.	<i>Biol Blood Marrow Transplant</i>	2013	19(8):1183-9.	WGP 19-1
120	A case-control study of bronchiolitis obliterans syndrome following allogeneic hematopoietic stem cell transplantation.	Nakasone H, Kanda J, Yano S, Atsuta Y, Ago H, Fukuda T, Kakihana K, Adachi T, Yujiri T, Taniguchi S, Taguchi J, Morishima Y, Nagamura T, Sakamaki H, Mori T, Murata M; GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Transpl Int</i>	2013	26(6):631-9.	WGP 19-2

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
121	Risk factors and organ involvement of chronic GVHD in Japan.	Kanda J, Nakasone H, Atsuta Y, Toubai T, Yokoyama H, Fukuda T, Taniguchi S, Ohashi K, Ogawa H, Eto T, Miyamura K, Morishima Y, Nagamura-Inoue T, Sakamaki H, Murata M.	<i>Bone Marrow Transplant</i>	2014	49(2):228-35.	WGP 19-3
122	Impact of conditioning intensity and TBI on acute GVHD after hematopoietic cell transplantation.	Nakasone H, Fukuda T, Kanda J, Mori T, Yano S, Kobayashi T, Miyamura K, Eto T, Kanamori H, Iwato K, Uchida N, Mori S, Nagamura-Inoue T, Ichinohe T, Atsuta Y, Teshima T, Murata M; GVHD working group of the Japan Society of Hematopoietic Cell Transplantation.	<i>Bone Marrow Transplant</i>	2015	50(4):559-65.	WGP 19-4
123	Age influences post-graft-versus-host disease non-relapse mortality in adults with acute graft-versus-host disease of varying severity following allogeneic hematopoietic cell transplant.	Nakane T, Fukuda T, Kanda J, Taniguchi S, Eto T, Ohashi K, Nakamae H, Kurokawa M, Mori T, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Murata M.	<i>Leuk Lymphoma</i>	2015	56(8):2392-7.	WGP 19-5
124	Comparison of continuous and twice-daily infusions of cyclosporine A for graft-versus-host-disease prophylaxis in pediatric hematopoietic stem cell transplantation.	Umeda K, Adachi S, Tanaka S, Ogawa A, Hatakeyama N, Kudo K, Sakata N, Igarashi S, Ohshima K, Hyakuna N, Chin M, Goto H, Takahashi Y, Azuma E, Koh K, Sawada A, Kato K, Inoue M, Atsuta Y, Takami A, Murata M; on behalf of the GVHD Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Pediatr Blood Cancer</i>	2015	62(2):291-8.	WGP 19-6
125	A comparison of tacrolimus and cyclosporine combined with methotrexate for graft-versus-host disease prophylaxis, stratified by stem cell source: a retrospective nationwide survey.	Sakai R, Taguri M, Oshima K, Mori T, Ago H, Adachi S, Morita S, Taniguchi S, Fukuda T, Ohashi K, Eto T, Miyamura K, Iwato K, Kobayashi N, Kanamori H, Morishima Y, Nagamura-Inoue T, Sakamaki H, Atsuta Y, Murata M.	<i>Int J Hematol</i>	2016	103(3):322-33.	WGP 19-7
126	Risk factors and prognosis of hepatic acute GvHD after allogeneic hematopoietic cell transplantation.	Arai Y, Kanda J, Nakasone H, Kondo T, Uchida N, Fukuda T, Ohashi K, Kaida K, Iwato K, Eto T, Kanda Y, Nakamae H, Nagamura-Inoue T, Morishima Y, Hirokawa M, Atsuta Y, Murata M.	<i>Bone Marrow Transplant</i>	2016	51(1):96-102.	WGP 19-8
127	Impact of graft-versus-host disease on outcomes after unrelated cord blood transplantation.	Kanda J, Morishima Y, Terakura S, Wake A, Uchida N, Takahashi S, Ono Y, Onishi Y, Kanamori H, Aotsuka N, Ozawa Y, Ogawa H, Sakura T, Ohashi K, Ichinohe T, Kato K, Atsuta Y, Teshima T, Murata M.	<i>Leukemia</i>	2017	31(3):663-8.	WGP 19-9

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
128	Low-dose thymoglobulin as second-line treatment for steroid-resistant acute GvHD: an analysis of the JSHCT.	Murata M, Ikegami K, Morishita Y, Ogawa H, Kaida K, Nakamae H, Ikeda T, Nishida T, Inoue M, Eto T, Kubo K, Sakura T, Mori T, Uchida N, Ashida T, Matsuhashi Y, Miyazaki Y, Ichinohe T, Atsuta Y, Teshima T.	<i>Bone Marrow Transplant</i>	2017	52(2):25-2-7.	WGP 19-10
129	Exploratory research for optimal GvHD prophylaxis after single unit CBT in adults: short-term methotrexate reduced the incidence of severe GvHD more than mycophenolate mofetil.	Terakura S, Wake A, Inamoto Y, Murata M, Sakai R, Yamaguchi T, Takahashi S, Uchida N, Onishi Y, Ohashi K, Ozawa Y, Kanamori H, Yamaguchi H, Fukuda T, Ichinohe T, Takanashi M, Atsuta Y, Teshima T.	<i>Bone Marrow Transplant</i>	2017	52(3):42-3-30.	WGP 19-11
130	Comparison of graft-versus-host disease-free, relapse-free survival according to a variety of graft sources: antithymocyte globulin and single cord blood provide favorable outcomes in some subgroups.	Inamoto Y, Kimura F, Kanda J, Sugita J, Ikegami K, Nakasone H, Nannya Y, Uchida N, Fukuda T, Yoshioka K, Ozawa Y, Kawano I, Atsuta Y, Kato K, Ichinohe T, Inoue M, Teshima T; JSHCT GVHD Working Group.	<i>Haematologica</i>	2016	101(12):1592-602.	WGP 19-12
131	Allogeneic unrelated bone marrow transplantation from older donors results in worse prognosis in recipients with aplastic anemia.	Arai Y, Kondo T, Yamazaki H, Takenaka K, Sugita J, Kobayashi T, Ozawa Y, Uchida N, Iwato K, Kobayashi N, Takahashi Y, Ishiyama K, Fukuda T, Ichinohe T, Atsuta Y, Mori T, Teshima T; Japan Society for Hematopoietic Cell Transplantation.	<i>Haematologica</i>	2016	101(5):644-52.	WGP 19-13
132	GvHD prophylaxis after single-unit reduced intensity conditioning cord blood transplantation in adults with acute leukemia.	Terakura S, Kuwatsuka Y, Yamasaki S, Wake A, Kanda J, Inamoto Y, Mizuta S, Yamaguchi T, Uchida N, Kouzai Y, Aotsuka N, Ogawa H, Kanamori H, Nishiwaki K, Miyakoshi S, Onizuka M, Amano I, Fukuda T, Ichinohe T, Atsuta Y, Murata M, Teshima T.	<i>Bone Marrow Transplant</i>	2017	52(9):1261-7.	WGP 19-14
133	Impact of hepatitis C virus infection on clinical outcome in recipients after allogeneic hematopoietic cell transplantation.	Nakasone H, Kurosawa S, Yakushijin K, Taniguchi S, Murata M, Ikegami K, Kobayashi T, Eto T, Miyamura K, Sakamaki H, Morishima Y, Nagamura T, Suzuki R, Fukuda T.	<i>Am J Hematol</i>	2013	88(6):477-84.	WGP 20-1
134	Pre-transplant risk factors for cryptogenic organizing pneumonia/bronchiolitis obliterans organizing pneumonia after hematopoietic cell transplantation.	Nakasone H, Onizuka M, Suzuki N, Fujii N, Taniguchi S, Kakihana K, Ogawa H, Miyamura K, Eto T, Sakamaki H, Yabe H, Morishima Y, Kato K, Suzuki R, Fukuda T.	<i>Bone Marrow Transplant</i>	2013	48(10):1317-23.	WGP 20-2
135	Salvage allogeneic hematopoietic SCT for primary graft failure in children.	Kato M, Matsumoto K, Suzuki R, Yabe H, Inoue M, Kigasawa H, Inagaki J, Koh K, Hashii Y, Tauchi H, Suminoe A, Kikuta A, Sakamaki H, Kawa K, Kato K, Fukuda T.	<i>Bone Marrow Transplant</i>	2013	48(9):1173-8.	WGP 20-3

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
136	Impact of pretransplant body mass index on the clinical outcome after allogeneic hematopoietic SCT.	Fuji S, Takano K, Mori T, Eto T, Taniguchi S, Ohashi K, Sakamaki H, Morishima Y, Kato K, Miyamura K, Suzuki R, Fukuda T.	<i>Bone Marrow Transplant</i>	2014	49(12):1505-12.	WGP 20-4
137	Cytomegalovirus Reactivation after Allogeneic Hematopoietic Stem Cell Transplantation is Associated with a Reduced Risk of Relapse in Patients with Acute Myeloid Leukemia Who Survived to Day 100 after Transplantation: The Japan Society for Hematopoietic Cell Transplantation Transplantation-related Complication Working Group.	Takenaka K, Nishida T, Asano-Mori Y, Oshima K, Ohashi K, Mori T, Kanamori H, Miyamura K, Kato C, Kobayashi N, Uchida N, Nakamae H, Ichinohe T, Morishima Y, Suzuki R, Yamaguchi T, Fukuda T.	<i>Biol Blood Marrow Transplant</i>	2015	21(11):2008-16.	WGP 20-5
138	Pre-transplant diabetes mellitus is a risk factor for non-relapse mortality, especially infection-related mortality, after allogeneic hematopoietic SCT.	Takano K, Fuji S, Uchida N, Ogawa H, Ohashi K, Eto T, Sakamaki H, Morishima Y, Kato K, Suzuki R, Fukuda T.	<i>Bone Marrow Transplant</i>	2015	50(4):553-8.	WGP 20-6
139	Sinusoidal obstruction syndrome after allogeneic hematopoietic stem cell transplantation: Incidence, risk factors and outcomes.	Yakushijin K, Atsuta Y, Doki N, Yokota A, Kanamori H, Miyamoto T, Ohwada C, Miyamura K, Nawa Y, Kurokawa M, Mizuno I, Mori T, Onizuka M, Taguchi J, Ichinohe T, Yabe H, Morishima Y, Kato K, Suzuki R, Fukuda T.	<i>Bone Marrow Transplant</i>	2016	51(3):403-9.	WGP 20-7
140	Donor cell-derived hematologic malignancy: A survey by the Japan society for hematopoietic cell transplantation.	Kato M, Yamashita T, Suzuki R, Matsumoto K, Nishimori H, Takahashi S, Iwato K, Nakaseko C, Kondo T, Imada K, Kimura F, Ichinohe T, Hashii Y, Kato K, Atsuta Y, Taniguchi S, Fukuda T.	<i>Leukemia</i>	2016	30(8):1742-5.	WGP 20-8
141	Impact of total body irradiation on successful neutrophil engraftment in unrelated bone marrow or cord blood transplantation.	Nakasone H, Fuji S, Yakushijin K, Onizuka M, Shinohara A, Ohashi K, Miyamura K, Uchida N, Takanashi M, Ichinohe T, Atsuta Y, Fukuda T, Ogata M; Complication Working Group of Japanese Society for Hematopoietic Cell Transplantation.	<i>Am J Hematol</i>	2017	92(2):171-8.	WGP 20-9
142	Clinical characteristics and outcome of human herpesvirus-6 encephalitis after allogeneic hematopoietic stem cell transplantation.	Ogata M, Oshima K, Ikebe T, Takano K, Kanamori H, Kondo T, Ueda Y, Mori T, Hashimoto H, Ogawa H, Eto T, Ueki T, Miyamoto T, Ichinohe T, Atsuta Y, Fukuda T.	<i>Bone Marrow Transplant.</i>	2017	52(11):1563-70.	WGP 20-10

	論文タイトル	著者	雑誌名	発行年	刊・号・頁	業績番号
143	Late Mortality and Causes of Death among Long-Term Survivors after Allogeneic Stem Cell Transplantation.	Atsuta Y, Hirakawa A, Nakasone H, Kurosawa S, Oshima K, Sakai R, Ohashi K, Takahashi S, Mori T, Ozawa Y, Fukuda T, Kanamori H, Morishima Y, Kato K, Yabe H, Sakamaki H, Taniguchi S, Yamashita T; Late Effect and Quality of Life Working Group of the Japan Society for Hematopoietic Cell Transplantation.	<i>Biol Blood Marrow Transplant</i>	2016	22(9):1702-9.	WGP 21-1