


図7 NHL 症例での生存曲線


図 7.1 自家移植

7.1-1 移植時病期別




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	5335	89.7%	88.9-90.5	4368	76.4%	75.1-77.6	2388	68.0%	66.3-69.6	887
② 2CR	2524	85.5%	84.0-86.8	1928	64.3%	62.2-66.4	845	53.3%	50.6-56.0	289
③ >=3CR	326	80.6%	75.7-84.6	235	54.0%	47.7-59.9	104	41.9%	34.5-49.1	34
④ 1PR	1465	75.7%	73.3-77.8	992	57.6%	54.8-60.4	471	49.4%	46.1-52.6	176
⑤ 2PR	801	72.1%	68.7-75.2	492	52.4%	48.3-56.4	176	44.1%	38.3-49.6	38
⑥ NIR	3058	57.2%	55.3-58.9	1572	39.4%	37.5-41.3	668	32.8%	30.7-34.9	286

7.1-2 移植時病期別 (16歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	120	97.5%	92.4-99.2	115	90.6%	83.6-94.7	99	90.6%	83.6-94.7	72
② 2CR	39	63.8%	46.7-76.8	24	58.4%	41.3-72.1	17	53.9%	36.0-68.8	12
③ >=3CR	8	50.0%	15.2-77.5	4	37.5%	8.7-67.4	3	37.5%	8.7-67.4	3
④ 1PR	2	100.0%	.	2	100.0%	.	2	100.0%	.	1
⑤ 2PR	1	.	.	.	.	.	.	.	.	.
⑥ NIR	40	37.3%	22.7-52.0	14	28.9%	15.7-43.5	10	28.9%	15.7-43.5	7

7.1-3 移植時病期別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	5214	89.5%	88.6-90.4	4252	76.0%	74.7-77.3	2290	67.1%	65.4-68.8	815
② 2CR	2485	85.8%	84.3-87.2	1904	64.4%	62.2-66.5	828	53.2%	50.4-55.9	277
③ >=3CR	318	81.4%	76.5-85.4	231	54.4%	48.0-60.3	101	41.6%	33.9-49.0	31
④ 1PR	1463	75.6%	73.3-77.8	990	57.6%	54.7-60.3	469	49.3%	46.0-52.6	175
⑤ 2PR	800	72.2%	68.8-75.2	492	52.5%	48.4-56.4	176	44.1%	38.4-49.7	38
⑥ NIR	3018	57.4%	55.6-59.2	1558	39.6%	37.6-41.5	658	32.8%	30.7-34.9	279

7.1-4 移植時病期別(16歳以上40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	840	92.8%	90.8-94.4	722	82.6%	79.7-85.2	473	78.8%	75.4-81.9	197
② 2CR	253	88.3%	83.5-91.8	204	73.1%	66.6-78.6	112	64.3%	56.3-71.2	48
③ >=3CR	22	90.9%	68.3-97.7	20	59.1%	36.1-76.2	9	30.0%	7.0-57.9	2
④ 1PR	234	78.9%	72.9-83.7	170	64.5%	57.6-70.7	97	61.0%	53.5-67.6	40
⑤ 2PR	66	80.6%	68.3-88.5	46	63.9%	50.0-74.9	21	44.2%	23.3-63.3	6
⑥ NIR	526	58.4%	54.0-62.5	291	44.7%	40.2-49.1	160	41.8%	37.2-46.4	89

7.1-5 移植時病期別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	4374	88.9%	87.9-89.8	3530	74.7%	73.2-76.1	1816	64.5%	62.5-66.4	618
② 2CR	2232	85.5%	84.0-87.0	1700	63.3%	61.0-65.6	716	51.7%	48.8-54.7	229
③ >=3CR	296	80.6%	75.5-84.8	211	54.0%	47.3-60.2	92	42.7%	34.7-50.3	29
④ 1PR	1229	75.0%	72.4-77.4	820	56.2%	53.0-59.2	372	46.9%	43.2-50.5	135
⑤ 2PR	734	71.4%	67.9-74.7	446	51.4%	47.1-55.6	155	45.1%	39.6-50.4	32
⑥ NIR	2492	57.2%	55.2-59.2	1267	38.3%	36.1-40.4	498	30.2%	27.9-32.6	190

7.1-6 分類別




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	6059	78.9%	77.9-80.0	4216	63.3%	61.9-64.6	1910	55.4%	53.6-57.1	569
② Follicular	1188	88.7%	86.7-90.4	958	75.5%	72.7-78.1	549	65.6%	62.0-68.9	227
③ Mantle	680	93.5%	91.3-95.1	560	78.4%	74.5-81.8	239	58.6%	51.5-65.0	50
④ Lymphoblastic	608	76.4%	72.7-79.7	424	59.3%	54.9-63.4	201	53.5%	48.5-58.2	87

7.1-7 分類別(16歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	14	100.0%	.	12	100.0%	.	9	100.0%	.	5
② Lymphoblastic	43	74.1%	58.1-84.7	30	61.7%	45.3-74.6	22	61.7%	45.3-74.6	19

7.1-8 分類別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	6045	78.9%	77.8-79.9	4204	63.2%	61.8-64.5	1901	55.2%	53.5-57.0	564
② Follicular	1188	88.7%	86.7-90.4	958	75.5%	72.7-78.1	549	65.6%	62.0-68.9	227
③ Mantle	680	93.5%	91.3-95.1	560	78.4%	74.5-81.8	239	58.6%	51.5-65.0	50
④ Lymphoblastic	565	76.6%	72.8-80.0	394	58.9%	54.3-63.3	179	52.1%	46.6-57.2	68

7.1-9 分類別(16歳以上40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	590	83.4%	80.0-86.2	433	76.0%	72.0-79.4	272	71.1%	66.1-75.4	93
② Follicular	62	89.8%	78.7-95.3	51	80.5%	67.5-88.7	40	73.8%	59.5-83.7	24
③ Mantle	13	92.3%	56.6-98.9	12	92.3%	56.6-98.9	6	92.3%	56.6-98.9	3
④ Lymphoblastic	140	79.2%	71.4-85.2	104	64.9%	55.8-72.6	60	57.6%	46.7-67.1	22

7.1-10 分類別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	5455	78.4%	77.3-79.5	3771	61.7%	60.3-63.2	1629	53.3%	51.4-55.2	471
② Follicular	1126	88.6%	86.6-90.4	907	75.2%	72.3-77.9	509	65.0%	61.2-68.5	203
③ Mantle	667	93.5%	91.3-95.2	548	78.2%	74.2-81.7	233	57.8%	50.6-64.3	47
④ Lymphoblastic	425	75.8%	71.2-79.7	289	56.8%	51.3-61.9	119	50.0%	43.7-56.0	46

7.1-11 第一寛解期 分類別(16歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	2181	89.5%	88.1-90.7	1766	77.8%	75.8-79.7	937	68.5%	65.6-71.2	283
② Follicular	279	94.0%	90.4-96.3	244	86.2%	81.2-90.0	172	81.5%	75.6-86.1	79
③ Mantle	500	96.5%	94.4-97.8	430	84.0%	79.7-87.5	180	68.9%	61.2-75.4	38
④ Lymphoblastic	260	88.3%	83.6-91.7	210	70.9%	64.3-76.6	103	62.7%	54.7-69.7	32

7.1-12 第一寛解期 分類別(16歳以上40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	260	92.6%	88.5-95.3	214	89.7%	85.0-93.0	147	85.0%	77.7-90.0	47
② Follicular	22	94.7%	68.1-99.2	18	84.2%	58.7-94.6	16	84.2%	58.7-94.6	9
③ Mantle	9	100.0%	.	9	100.0%	.	4	100.0%	.	2
④ Lymphoblastic	72	91.3%	81.6-96.0	62	78.4%	66.1-86.6	41	76.4%	63.8-85.1	13


7.1-13 第一寛解期 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	1921	89.1%	87.6-90.4	1552	76.1%	74.0-78.2	790	66.1%	62.9-69.1	236
② Follicular	257	93.9%	90.1-96.3	226	86.4%	81.1-90.2	156	81.1%	74.8-86.0	70
③ Mantle	491	96.4%	94.3-97.7	421	83.8%	79.4-87.3	176	68.2%	60.4-74.9	36
④ Lymphoblastic	188	87.1%	81.2-91.2	148	67.7%	59.4-74.7	62	56.1%	45.8-65.2	19


図 7.2 同種造血幹細胞移植

7.2-1 移植種別(40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① Rel-BM	403	64.3%	59.3-68.7	253	53.2%	48.1-58.0	175	51.5%	46.3-56.4	106
② Rel-PB	457	54.1%	49.3-58.7	223	39.9%	35.1-44.7	117	37.5%	32.6-42.3	54
③ UR-BM	463	69.7%	65.3-73.8	304	55.1%	50.3-59.7	188	51.0%	45.9-55.8	84
④ UR-PB	12	41.7%	11.8-69.8	2	.	.	.	.	.	.
⑤ UR-CB	358	56.7%	51.3-61.8	187	48.3%	42.8-53.6	94	46.7%	40.9-52.3	32


7.2-2 移植種別(40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① Rel-BM	307	53.8%	48.0-59.3	159	42.8%	37.1-48.4	103	37.6%	31.8-43.3	53
② Rel-PB	936	47.6%	44.3-50.8	415	36.2%	33.0-39.4	201	33.7%	30.4-37.1	101
③ UR-BM	875	57.7%	54.3-60.9	460	45.5%	41.9-48.9	232	41.7%	37.9-45.4	74
④ UR-PB	37	42.9%	25.6-59.1	11	.	.	.	.	.	.
⑤ UR-CB	834	40.2%	36.8-43.6	310	32.5%	29.2-35.9	121	27.7%	23.7-31.8	28


図 7.3 血縁者間骨髄移植

7.3-1 移植時病期別(40歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	134	83.4%	76.0-88.8	109	70.5%	61.7-77.6	78	65.9%	56.5-73.7	42
②	2CR	69	67.3%	54.7-77.1	44	57.8%	44.9-68.7	31	55.9%	43.0-67.0	20
③	>=3CR	14	78.6%	47.3-92.5	11	71.4%	40.6-88.2	9	71.4%	40.6-88.2	8
④	1PR	18	72.2%	45.6-87.4	12	60.2%	34.0-78.7	10	60.2%	34.0-78.7	6
⑤	2PR	12	83.3%	48.2-95.6	10	66.7%	33.7-86.0	4	.	.	.
⑥	NIR	141	39.7%	31.6-47.7	56	30.3%	22.9-38.0	34	30.3%	22.9-38.0	24

7.3-2 移植時病期別(40歳以上)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	47	66.0%	50.6-77.6	31	54.9%	39.6-67.9	22	49.2%	33.6-62.9	14
②	2CR	35	68.6%	50.5-81.2	24	59.5%	41.3-73.7	18	51.8%	33.3-67.4	10
③	>=3CR	16	87.1%	57.3-96.6	12	58.0%	29.2-78.6	7	48.4%	20.3-71.8	2
④	1PR	30	66.2%	46.3-80.2	19	54.9%	35.1-70.9	12	44.9%	25.2-62.8	3
⑤	2PR	22	57.0%	33.4-75.0	11	44.4%	21.6-65.1	5	44.4%	21.6-65.1	2
⑥	NIR	146	38.3%	30.3-46.1	54	28.9%	21.6-36.5	34	25.1%	18.1-32.7	19

7.3-3 分類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	25	56.0%	34.8-72.7	14	51.3%	30.4-68.9	9	51.3%	30.4-68.9	4
② Follicular	3	100.0%	.	3	66.7%	5.4-94.5	2	66.7%	5.4-94.5	1
③ Mantle	1	100.0%	.	1	100.0%	.	1	100.0%	.	1
④ Lymphoblastic	100	70.3%	60.1-78.3	68	56.2%	45.6-65.5	47	53.5%	42.8-63.0	26


7.3-4 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	38	39.7%	24.0-55.0	14	30.5%	16.4-45.9	6	25.4%	11.7-41.8	3
② Follicular	66	69.4%	56.7-79.1	43	59.1%	45.9-70.1	29	56.9%	43.5-68.3	18
③ Mantle	9	55.6%	20.4-80.5	5	44.4%	13.6-71.9	4	44.4%	13.6-71.9	4
④ Lymphoblastic	16	55.6%	28.6-75.9	8	41.7%	17.7-64.3	6	41.7%	17.7-64.3	3


図 7.4 血縁者間末梢血幹細胞移植

7.4-1 移植時病期別(40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	88	77.4%	66.8-84.9	61	64.3%	52.4-74.0	37	64.3%	52.4-74.0	19
② 2CR	45	83.7%	68.7-91.9	34	65.9%	48.1-78.9	17	65.9%	48.1-78.9	6
③ >=3CR	5	53.3%	6.8-86.3	2	26.7%	1.0-68.6	1	26.7%	1.0-68.6	1
④ 1PR	35	82.2%	64.5-91.6	26	64.4%	44.6-78.6	17	56.8%	37.0-72.5	5
⑤ 2PR	24	68.2%	44.5-83.4	12	42.2%	19.2-63.7	3	28.1%	6.5-55.6	1
⑥ NIR	244	36.4%	30.3-42.5	82	23.6%	18.2-29.5	39	22.2%	16.8-28.0	20

7.4-2 移植時病期別(40歳以上)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	103	69.5%	59.5-77.5	67	51.3%	40.4-61.1	27	47.3%	36.0-57.7	14
② 2CR	73	74.5%	62.6-83.1	50	65.0%	52.4-75.1	30	58.3%	43.6-70.5	13
③ >=3CR	23	73.9%	50.9-87.3	17	58.4%	34.6-76.2	5	58.4%	34.6-76.2	2
④ 1PR	86	57.1%	45.6-67.0	44	47.9%	36.6-58.3	29	44.2%	32.7-55.0	9
⑤ 2PR	75	50.5%	38.7-61.1	35	37.6%	25.5-49.6	13	37.6%	25.5-49.6	5
⑥ NIR	552	36.4%	32.3-40.4	190	25.6%	21.8-29.5	86	24.1%	20.3-28.1	49

7.4-3 分類別(40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	51	43.1%	29.4-56.1	22	15.5%	6.4-28.1	5	12.4%	4.4-24.8	1
② Follicular	13	92.3%	56.6-98.9	12	83.1%	47.2-95.5	9	83.1%	47.2-95.5	8
③ Mantle	1	100.0%	.	1	100.0%	.	1	100.0%	.	1
④ Lymphoblastic	124	59.6%	50.2-67.8	68	45.3%	35.7-54.4	35	41.7%	31.7-51.4	15


7.4-4 分類別(40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	206	26.8%	20.9-33.1	52	13.8%	9.2-19.4	14	12.1%	7.3-18.2	7
② Follicular	183	65.6%	58.1-72.0	111	58.6%	50.8-65.7	69	55.5%	47.3-62.9	34
③ Mantle	31	64.5%	45.2-78.5	20	47.8%	29.5-64.0	12	47.8%	29.5-64.0	8
④ Lymphoblastic	58	48.0%	34.7-60.1	27	39.7%	26.7-52.3	13	33.0%	17.9-49.0	4


図 7.5 非血縁者間骨髓移植

7.5-1 移植時病期別(40歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	138	83.9%	76.6-89.1	111	73.3%	64.8-80.1	75	69.2%	59.7-76.9	33
②	2CR	68	80.5%	68.8-88.2	51	65.2%	52.0-75.7	33	57.4%	43.0-69.5	13
③	>=3CR	19	67.7%	41.6-84.0	12	38.7%	17.0-60.1	4	38.7%	17.0-60.1	2
④	1PR	30	75.7%	55.6-87.6	21	54.1%	34.3-70.3	15	54.1%	34.3-70.3	6
⑤	2PR	25	83.5%	61.7-93.5	20	63.7%	39.7-80.2	9	63.7%	39.7-80.2	2
⑥	NIR	148	50.2%	41.7-58.1	69	36.4%	28.3-44.4	37	31.5%	23.3-39.9	17

7.5-2 移植時病期別(40歳以上)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	121	69.9%	60.6-77.4	74	56.2%	46.0-65.3	28	56.2%	46.0-65.3	9
②	2CR	103	81.2%	72.0-87.5	79	66.5%	55.6-75.3	45	63.1%	51.7-72.5	20
③	>=3CR	57	69.4%	55.4-79.8	37	57.0%	42.6-69.2	17	57.0%	42.6-69.2	3
④	1PR	69	69.4%	56.6-79.1	40	49.2%	35.7-61.3	20	46.4%	32.8-59.0	8
⑤	2PR	85	65.3%	54.1-74.5	50	52.0%	40.2-62.6	25	48.3%	35.3-60.2	4
⑥	NIR	404	44.2%	39.2-49.0	165	34.8%	30.0-39.7	88	30.6%	25.5-35.7	28

7.5-3 分類別 (40歳未満)




対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	21	61.2%	37.1-78.4	10	55.1%	31.0-73.8	8	45.9%	21.1-67.7	3
② Follicular	38	73.7%	56.6-84.9	28	62.5%	45.0-75.9	19	55.9%	38.2-70.4	14
③ Lymphoblastic	169	66.9%	59.2-73.5	106	48.9%	40.8-56.6	52	45.7%	36.8-54.1	16

7.5-4 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	117	46.5%	37.2-55.2	53	37.6%	28.6-46.6	26	33.2%	23.5-43.2	8
② Follicular	286	66.8%	60.9-72.0	176	55.9%	49.7-61.7	102	51.1%	44.4-57.3	35
③ Mantle	37	67.1%	49.4-79.8	24	48.0%	30.4-63.6	12	39.6%	22.4-56.4	6
④ Lymphoblastic	89	58.9%	47.6-68.6	44	41.6%	30.0-52.7	14	37.0%	23.9-50.0	6


図 7.6 非血縁者間末梢血幹細胞移植



対象症例	症例数	移植後 1 年			移植後 3 年			移植後 5 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① 1CR	10	42.9%	9.8-73.4	3	.	.	.	.	.	.
② 2CR	4	100.0%	.	4	75.0%	12.8-96.1	2	.	.	.
③ >=3CR	1	.	.	.	.	.	.	.	.	.
④ 1PR	2	.	.	.	.	.	.	.	.	.
⑤ 2PR	5	40.0%	5.2-75.3	1	.	.	.	.	.	.
⑥ NIR	15	36.0%	12.6-60.5	3	.	.	.	.	.	.


図 7.7 非血縁者間臍帯血移植

7.7-1 移植時病期別(40歳未満)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	76	77.6%	66.5-85.5	57	70.9%	58.7-80.1	33	66.5%	51.6-77.7	8
②	2CR	44	75.9%	59.8-86.2	31	65.8%	49.2-78.2	12	65.8%	49.2-78.2	5
③	>=3CR	8	75.0%	31.5-93.1	6	56.3%	14.7-84.2	3	56.3%	14.7-84.2	1
④	1PR	49	73.4%	57.8-84.0	31	64.0%	47.9-76.2	18	59.0%	41.3-73.0	5
⑤	2PR	24	66.7%	44.3-81.7	16	56.0%	33.0-73.8	5	56.0%	33.0-73.8	3
⑥	NIR	156	32.7%	25.3-40.3	45	24.8%	17.9-32.2	22	24.8%	17.9-32.2	9

7.7-2 移植時病期別(40歳以上)




対象症例		症例数	移植後 1 年			移植後 5 年			移植後 10 年		
			生存率	CI	N	生存率	CI	N	生存率	CI	N
①	1CR	91	58.2%	47.2-67.7	48	50.6%	39.5-60.6	14	46.7%	34.1-58.3	5
②	2CR	61	53.1%	39.7-64.8	29	43.9%	30.2-56.7	13	43.9%	30.2-56.7	5
③	>=3CR	25	72.0%	50.1-85.6	18	67.8%	45.7-82.4	10	.	.	.
④	1PR	86	44.8%	33.8-55.2	33	38.7%	27.9-49.3	14	35.7%	24.5-47.1	5
⑤	2PR	62	41.5%	28.9-53.6	23	33.4%	20.8-46.5	6	33.4%	20.8-46.5	2
⑥	NIR	507	32.9%	28.8-37.1	158	25.0%	21.1-29.0	63	19.8%	15.0-25.1	10

7.7-3 分類別 (40歳未満)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	40	49.2%	32.9-63.6	19	39.5%	23.5-55.1	6	39.5%	23.5-55.1	1
② Follicular	11	54.6%	22.9-78.0	6	43.6%	14.7-69.9	3	43.6%	14.7-69.9	3
③ Lymphoblastic	121	58.4%	48.9-66.7	66	46.9%	37.4-55.9	35	45.3%	35.6-54.5	12

7.7-4 分類別 (40歳以上)



対象症例	症例数	移植後 1 年			移植後 5 年			移植後 10 年		
		生存率	CI	N	生存率	CI	N	生存率	CI	N
① DLBCL	220	31.3%	25.2-37.6	63	24.4%	18.6-30.6	24	18.0%	10.5-27.1	4
② Follicular	152	48.4%	40.1-56.1	70	39.4%	31.3-47.3	35	36.1%	27.7-44.6	10
③ Mantle	20	45.0%	23.1-64.7	9	32.8%	13.4-53.9	4	24.6%	7.4-47.0	1
④ Lymphoblastic	68	48.1%	35.8-59.4	31	37.8%	25.1-50.5	10	37.8%	25.1-50.5	3